## THE GENERAL ASSEMBLY OF PENNSYLVANIA

# SENATE BILL No. 740 Session of 2007

#### INTRODUCED BY CORMAN, APRIL 9, 2007

SENATE AMENDMENTS TO HOUSE AMENDMENTS, OCTOBER 7, 2008

### AN ACT

Authorizing the Department of General Services, with the 1 2 approval of the Governor, to grant and convey to Centre 3 County, certain lands situate in Benner Township, Centre 4 County; authorizing the Department of General Services, with 5 the approval of the Governor, to grant and convey, at a price 6 determined through competitive bidding, certain lands situate 7 in Benner Township, Centre County; and authorizing the 8 Department of General Services, with the approval of the 9 Governor, to grant and convey, separately, to The 10 Pennsylvania State University, Benner Township and the Pennsylvania Fish and Boat Commission certain lands situate 11 in Benner Township, Centre County; AUTHORIZING CERTAIN LANDS 12 13 IN CENTRE COUNTY TO BE CONVEYED; AUTHORIZING THE BOROUGH OF 14 OLD FORGE, LACKAWANNA COUNTY, TO TRANSFER, SELL AND CONVEY CERTAIN PROJECT 70 LANDS FREE OF RESTRICTIONS IMPOSED BY THE 15 PROJECT 70 LAND ACQUISITION AND BORROWING ACT; AUTHORIZING 16 17 AND DIRECTING THE DEPARTMENT OF GENERAL SERVICES, WITH THE 18 APPROVAL OF THE GOVERNOR, TO GRANT AND CONVEY TO THE 19 PHILADELPHIA REGIONAL PORT AUTHORITY CERTAIN LANDS SITUATE IN 20 THE 39TH WARD OF THE CITY OF PHILADELPHIA; AND PROVIDING FOR 21 COMMONWEALTH OWNERSHIP OF SUBMERGED LANDS; AND AUTHORIZING 22 AND DIRECTING THE DEPARTMENT OF GENERAL SERVICES, WITH THE 23 APPROVAL OF THE GOVERNOR AND THE DEPARTMENT OF MILITARY AND 24 VETERANS' AFFAIRS, TO GRANT AND CONVEY TO THE SCHUYLKILL YMCA 25 CERTAIN LANDS AND BUILDING SITUATE IN THE BOROUGH OF 26 POTTSVILLE, SCHUYLKILL COUNTY.

27 The General Assembly of the Commonwealth of Pennsylvania

28 hereby enacts as follows:

29 Section 1. Conveyance to Centre County in Benner Township, 1

Centre County, Pennsylvania.

(a) Authorization.--The Department of General Services, with
the approval of the Governor, is hereby authorized on behalf of
the Commonwealth of Pennsylvania to grant and convey to Centre
County certain land and improvements situate in Benner Township,
Centre County for \$1 and under terms and conditions to be
established in an Agreement of Sale with the Department of
General Services.

9 (b) Description.--The property to be conveyed pursuant to 10 subsection (a) consists of one parcel of land totaling 13.2646 11 acres and improvements thereon bounded and more particularly 12 described as follows:

13

#### PARCEL 3

ALL THAT CERTAIN PARCEL or tract of land situated in Benner 14 Township, Centre County, Pennsylvania, shown as "Parcel 3" on 15 16 plans prepared by Sweetland Engineering and Associates, Inc. 17 entitled "Proposed Plan for Disposition of Commonwealth Real 18 Property at the State Correctional Institution at Rockview", 19 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and as shown on the attached "Parcel Exhibit Plan", drawing number 20 21 A-1439, being more fully bounded and described as follows: 22 BEGINNING at point number 158 in the eastern right-of-way line 23 of Benner Pike, SR0150 in the southern line of lands now or 24 formerly of G. M. McCrossin, Inc., U.P.I. No.12-003-144F, at the 25 northwestern corner of the herein described parcel; 26 THENCE along lands now or formerly of G. M. McCrossin, Inc., 27 U.P.I. No.12-003-144F, points 158 to 159, along lands now or 28 formerly of Rogers, U.P.I. No.12-003-130 points 159 to 160, 29 along land now or formerly of Centre County U.P.I. No.12-003-212 30 points 160 to 161, and concluding along the eastern right-of-way 20070S0740B2488 - 2 -

line of the Benner Pike, SR0150 points 161 through 163 to 158, 1 2 the following courses expressed in units of the Pennsylvania 3 State Plane Coordinate System, North American Datum of 1983, United State Survey Feet: 4 158-159: N 46-49-50 E Length: 589.45 5 Line Line 159-160: S 47-10-10 E Length: 1006.15 6 Line 160-161: S 77-05-54 W Length: 1057.29 7 8 Curve 161-162: Length: 185.86 Radius: 6965.55 9 Delta: -1-31-44 Tangent: 92.94 10 Chord: 185.86 Course: N 14-22-02 W 11 Line 162-163: N 15-07-54 W Length: 85.74 Line 163-158: N 15-07-54 W Length: 263.12 12 13 to the point of Beginning. 14 CONTAINING: 577,808 sq.ft. or 13.2646 acres of land, gross area, 15 be the same more or less. 16 (c) Easements.--The conveyance shall be made under and 17 subject to all lawful and enforceable easements, servitudes and 18 rights of others, including, but not limited to, streets, roadways and rights of any telephone, telegraph, water, 19 20 electric, gas or pipeline companies, as well as under and 21 subject to any lawful and enforceable estates or tenancies 22 vested in third persons appearing of record, for any portion of 23 the land or improvements erected thereon.

24 (d) Land use restriction. -- The deed of conveyance shall 25 contain the following restrictive covenant: "Under and subject to a condition that the land conveyed herein shall be used 26 27 solely by Centre County for municipal purposes authorized by the act of August 9, 1955 (P.L.323, No.130), known as The County 28 Code, and for no other purpose. Should the Grantee attempt to 29 30 convey the property, or utilize it for any other purpose, the 20070S0740B2488 - 3 -

1 property shall immediately revert to the Grantor."

2 (e) Gaming facility restriction. -- Any conveyance authorized 3 under this section shall be made under and subject to the 4 condition, which shall be contained in the deed of conveyance, 5 that no portion of the property conveyed shall be used as a licensed facility, as defined in 4 Pa.C.S. § 1103 (relating to 6 7 definitions), or any other similar type of facility authorized under State law. The condition shall be a covenant running with 8 the land and shall be binding upon the Grantee, its successors 9 10 and assigns. Should the Grantee, its successors or assigns, 11 permit any portion of the property authorized to be conveyed in this act to be used in violation of this subsection, the title 12 13 shall immediately revert to and revest in the Grantor.

14 (f) Execution, -- The deed of conveyance shall be by Special
15 Warranty Deed and shall be executed by the Secretary of General
16 Services in the name of the Commonwealth of Pennsylvania.

17 (g) Cost and fees.--Costs and fees incidental to this18 conveyance shall be borne by the Grantee.

(h) Nonconveyance.--In the event that this conveyance is not
executed within 12 months of the effective date of this section,
the authority contained in this section shall expire.

Section 2. Conveyance to the highest responsible bidder of
 three parcels of property located in Benner
 Township, Centre County, Pennsylvania.

(a) Authorization.--The Department of General Services, with
the approval of the Governor, is hereby authorized on behalf of
the Commonwealth of Pennsylvania to grant and convey, at a price
to be determined through competitive bidding, three parcels of
land and improvements situate in Benner Township, Centre County.
The parcels of property contained in this section may be offered
20070S0740B2488 - 4 -

1 for sale either together or separately.

2 (b) Description.--The property to be conveyed pursuant to 3 subsection (a) consists of three parcels totaling 46.482-acres 4 and improvements thereon bounded and more particularly described 5 as follows:

#### PARCEL 4.1

ALL THAT CERTAIN PARCEL or tract of land situated in Benner 7 Township, Centre county, Pennsylvania, shown as "Parcel 4.1" on 8 9 plans prepared by Sweetland Engineering and Associates, Inc. 10 entitled "Proposed Plan for Disposition of Commonwealth Real 11 Property at the State Correctional Institution at Rockview", drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 12 13 as shown on the attached "Parcel Exhibit Plan", drawing number 14 A-1440, being more fully bounded and described as follows: 15 BEGINNING at point number 175 at the intersection of the eastern 16 right-of-way line of the Benner Pike, SR0150 with the southern 17 right-of-way line of Rishel Hill Road, T-532 and the northern 18 corner of the herein described parcel;

THENCE along the southern right-of-way line of Rishel Hill Road, 19 20 T-532 points 175 through 177, along Parcel 5 points 177 through 21 179, along the northern right-of-way line for limited access of 22 SR6026 section C03 points 179 through 183, and concluding along the eastern right-of-way line of the Benner Pike SR0150 point 23 24 183 to 175 the following courses expressed in units of the 25 Pennsylvania State Plan Coordinate System, North American Datum 26 of 1983, United States Survey Feet: Line 175-176: S 73-17-38 E Length: 458.65 27

28 Curve 176-177: Length: 431.68 Radius: 555.87

29 Delta: -44-29-43 Tangent: 227.39

30 Chord: 420.92 Course: N 84-27-31 E

20070S0740B2488

6

- 5 -

177-178: S 31-54-57 E Length: 266.44 1 Line Line 178-179: S 25-53-10 E Length: 285.86 2 3 Curve 179-180: Length: 217.87 Radius: 11379.16 4 Delta: 1-05-49 Tangent: 108.94 5 Chord: 217.87 Course: S 61-25-37 W Line 180-181: S 61-58-32 W Length: 478.19 6 Curve 181-182: Length: 147.26 Radius: 280.00 7 8 Delta: 30-08-00 Tangent: 75.38 9 Chord: 145.57 Course: S 77-02-32 W Line 182-183: N 87-53-28 W Length: 330.60 10 11 Curve 183-175: Length: 925.36 Radius: 6945.55 12 Delta: -7-38-01 Tangent: 463.37 13 Chord: 924.68 Course: N 02-22-04 W 14 to the point of Beginning. 15 CONTAINING: 728,894 sq.ft. or 16.7331 acres of land, gross area, 16 be the same more or less. 17 Parcel 4.2 18 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 19 Township, Centre county, Pennsylvania, shown as "Parcel 4.2" on 20 plans prepared by Sweetland Engineering and Associates, Inc. 21 entitled "Proposed Plan for Disposition of Commonwealth Real 22 Property at the State Correctional Institution at Rockview", 23 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 24 as shown on the attached "Parcel Exhibit Plan", drawing number 25 A-1441, being more fully bounded and described as follows: 26 BEGINNING at point number 168 at the intersection of the 27 southern right-of-way line of Rishel Hill, Road T-532 with the 28 western line of lands now or formerly of Rogers, U.P.I. No.12-29 003-130, at the northeastern corner of the herein described 30 parcel;

20070S0740B2488

- 6 -

THENCE along lands now or formerly of Rogers, U.P.I. No.12-003-1 2 130 points 168 to 169, along the northern right-of-way line for 3 limited access of SR6026 section C03 points 169 through 173, 4 along Parcel 5 the proposed right-of-way from Rishel Hill Road 5 to SR6026 points 173 to 174 to 164, along the southern right-ofway line of Rishel Hill, Road T-532 points 164 through 168, the 6 7 following courses expressed in units of the Pennsylvania State Plane Coordinate System, North American Datum of 1983, United 8 9 State Survey Feet: 10 Line 168-169: S 47-10-10 E Length: 903.85 11 Line 169-170: S 64-43-55 W Length: 96.13 170-171: S 58-28-32 W Length: 200.00 12 Line 13 Line 171-172: S 56-06-30 W Length: 363.15 14 Curve 172-173: Length: 337.06 Radius: 11379.16 Delta: 1-41-50 15 Tangent: 168.54 16 Chord: 337.05 Course: S 59-19-27 W Line 173-174: N 37-49-20 W Length: 291.79 17 18 Line 174-164: N 31-54-58 W Length: 266.44 19 Curve 164-165: Length: 218.51 Radius:555.87 Delta: -22-31-23 Tangent: 110.69 20 21 Chord: 217.11 Course: N 42-41-47 E 22 Line 165-166: N 31-26-05 E Length: 140.94 23 166-167: N 20-07-30 E Length: 50.99 Line Curve 167-168: Length: 441.52 24 Radius: 1980.79 25 Delta: 12-46-16 Tangent: 221.68 26 Chord: 440.60 Course: N 37-22-01 E to the point of Beginning. 27 28 CONTAINING: 656,835 sq.ft. or 15.0789 acres of land, gross area, 29 be the same more or less. 30 Parcel 19

20070S0740B2488

- 7 -

ALL THAT CERTAIN parcel of land situated in Benner Township, 1 2 Centre County, Pennsylvania shown as Lot 3 on a plan prepared by 3 Sweetland Engineering and Associates, Inc. entitled "4 Lot 4 Subdivision of Lands of the Commonwealth of Pennsylvania for 5 Centre County Correctional Facility", drawing numbers E-2491 and E-2492 dated 02/06/03, revised to 03/31/03, and recorded in the 6 Recorder's Office of Centre County in Plat Book Volume 68 at 7 pages 126 and 127 on 06/05/03, being part of lands now or 8 formerly of the Commonwealth of Pennsylvania (SCI-Rockview), 9 10 Record Book 142, Page 39, described as follows: 11 BEGINNING at a 3/4 inch re-bar, in the northeast corner of Lot 12 3; 13 THENCE along the western side of a variable width right-of-way 14 of the Benner Pike (SR0150) the following (3) courses; 15 1. S 15 degrees, 07 minutes, 54 seconds E, 400.76 16 feet to a 3/4 inch re-bar, a point of 17 curvature, THENCE; 18 2. tangent to the previous course, by the arc of a 19 curve to the right, having a radius of 20 6815.55 feet, a central angle of 7 degrees, 19 21 minutes, 34 seconds, a chord bearing 22 and distance of S 11 degrees, 28 minutes, 23 07 seconds E, 870.88 feet, and an arc length of 871.47 feet, to a 3/4 inch re-bar, THENCE; 24 25 3. not tangent to the previous course, S 32 26 degrees, 39 minutes, 16 seconds W, 78.44 feet, to a 3/4 inch re-bar; 27 28 THENCE along the northern side of the 33 foot right-of-way of 29 Paradise Road (SR3004) the following (3) courses; 30 1. N 73 degrees, 17 minutes, 38 seconds W, 296.22 - 8 -20070S0740B2488

feet, to a 3/4 inch re-bar, a point of curvature,
 THENCE;

3 2. tangent to the previous course, by the arc of a 4 curve right, having a radius of 583.50 feet, a 5 central angle of 53 degrees, 49 minutes, 24 seconds, a chord bearing and distance of N 46 degrees, 6 22 minutes, 56 seconds W, 528.20 feet, and an 7 arc length of 548.14 feet, to a 3/4 inch re-bar 8 9 a point of tangency, THENCE; 10 3. N 19 degrees, 28 minutes, 14 seconds W, 343.99

11 feet, to a 3/4 inch re-bar;

12 THENCE along the southern side of lands now or formerly Spring-13 Benner-Walker Joint Authority, Deed Book 427, Page 540, and also 14 along the southern side of lands now or formerly of Harry K. 15 Sickler, Record Book 947, Page 879, N 54 degrees, 25 minutes, 12 16 seconds E, 439.49 feet to a 3/4 inch re-bar, the point of 17 BEGINNING.

18 CONTAINING 14.67 acres of land more or less.

19 UNDER AND SUBJECT to a required drainage easement per SR6026 20 section C03 plans, as the southeast corner of the property, as 21 shown on the above mentioned plan.

22 UNDER AND SUBJECT to an 8.5 foot wide reserved right-of-way for 23 future dedication, along Paradise Road and parallel with the 24 boundary of Lot 3, as shown on the above mentioned plan.

(c) Easements.--The conveyance shall be made under and subject to all lawful and enforceable easements, servitudes and rights of others, including, but not limited to, streets, roadways and rights of any telephone, telegraph, water, electric, gas or pipeline companies, as well as under and subject to any lawful and enforceable estates or tenancies - 9 - vested in third persons appearing of record, for any portion of
 the land or improvements erected thereon.

3 (d) Execution.--The deed of conveyance shall be by Special 4 Warranty Deed and shall be executed by the Secretary of General 5 Services in the name of the Commonwealth of Pennsylvania. Section 3. Conveyance to The Pennsylvania State University in 6 7 Benner Township, Centre County, Pennsylvania. 8 Authorization.--The Department of General Services, with (a) 9 the approval of the Governor, is hereby authorized on behalf of 10 the Commonwealth of Pennsylvania to grant and convey to The 11 Pennsylvania State University certain land and improvements 12 situate in Benner Township, Centre County for \$1,013,627 and 13 under terms and conditions to be established in an Agreement of

15 (b) Description.--The property to be conveyed pursuant to 16 subsection (a) consists of six parcels totaling 1,124.1858 acres 17 and improvements thereon bounded and more particularly described 18 as follows:

Sale with the Department of General Services.

19

14

#### PARCEL 1.1

20 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 21 Township, Centre County, Pennsylvania, shown as "Parcel 1.1" on 22 plans prepared by Sweetland Engineering and Associates, Inc. entitled "Proposed Plan for Disposition of Commonwealth Real 23 24 Property at the State Correctional Institution at Rockview", 25 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 26 as shown on the attached "Parcel Exhibit Plan", drawing number A-1432, being more fully bounded and described as follows: 27 BEGINNING at point number 29 in the centerline of Rock Road, 28 29 Township Road No. 376, at its intersection with the centerline 30 of Barns Lane, Township Road No. 343, at the western corner of - 10 -20070S0740B2488

1 the herein described parcel;

2	THENCE along the centerline of Barns lane points 29 through 31,								
3	along Parcel 6.2 points 260 through 280 and concluding along the								
4	centerline of Rock Road points 19 through 29 the following								
5	courses expressed in units of the Pennsylvania State Plane								
6	Coordinate System, North American Datum of 1983, United States								
7	Survey Feet:								
8	Line 29-30: N 75-52-24 E Length: 906.10								
9	Line 30-31: N 76-16-00 E Length: 729.03								
10	Line 31-260: S 45-12-03 E Length: 99.84								
11	Line 260-261: S 01-32-30 E Length: 184.26								
12	Line 261-262: S 07-17-13 W Length: 217.45								
13	Line 262-263: S 12-26-49 E Length: 345.52								
14	Line 263-264: S 44-04-10 E Length: 248.96								
15	Line 264-265: S 37-58-39 E Length: 376.58								
16	Line 265-266: S 07-22-08 W Length: 62.04								
17	Line 266-267: S 05-06-21 W Length: 16.39								
18	Line 267-268: S 06-14-47 W Length: 61.42								
19	Line 268-269: S 49-17-44 W Length: 46.28								
20	Line 269-270: S 66-36-32 W Length: 40.63								
21	Line 270-271: S 81-28-50 W Length: 37.27								
22	Line 271-272: N 79-49-31 W Length: 36.45								
23	Line 272-273: N 70-09-52 W Length: 63.97								
24	Line 273-274: N 64-51-44 W Length: 48.62								
25	Line 274-275: N 62-58-17 W Length: 78.47								
26	Line 275-276: N 70-17-38 W Length: 66.48								
27	Line 276-277: N 82-08-35 W Length: 62.49								
28	Line 277-278: S 75-07-20 W Length: 65.53								
29	Line 278-279: S 47-09-05 W Length: 74.93								
30	Line 279-280: S 24-17-11 W Length: 16.50								
200	70S0740B2488 - 11 -								

Line 280-19: N 65-42-49 W Length: 147.93 1 19-20: N 67-39-19 W Length: 359.73 2 Line 3 Curve 20-21: Length: 167.30 Radius: 520.18 Tangent: 84.38 4 Delta: 18-25-39 Course: N 58-26-29 W 5 Chord: 166.58 21-22: N 49-13-39 W Length: 208.45 6 Line 7 Line 22-23: N 52-20-55 W Length: 166.24 8 Line 23-24: N 46-43-23 W Length: 274.16 Curve 24-25: Length: 135.13 Radius: 300.00 9 10 Delta: -25-48-32 Tangent: 68.73 11 Chord: 134.00 Course: N 59-37-39 W 25-26: N 72-31-55 W Length: 97.37 12 Line 13 Curve 26-27: Length: 120.09 Radius: 200.00 Delta: 34-24-16 14 Tangent: 61.92 15 Chord: 118.30 Course: N 55-19-47 W Line 16 27-28: N 38-07-38 W Length: 36.70 17 28-29: N 35-31-13 W Length: 176.59 Line 18 to the point of beginning. 19 CONTAINING: 1,578,880 sq.ft. or 36.2461 acres of land, gross 20 area, be the same more or less. 21 PARCEL 1.2 22 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 23 Township, Centre County, Pennsylvania, shown as "Parcel 1.2" on 24 plans prepared by Sweetland Engineering and Associates, Inc. 25 entitled "Proposed Plan for Disposition of Commonwealth Real 26 Property at the State Correctional Institution at Rockview", 27 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 28 as shown on the attached "Parcel Exhibit Plan", drawing number 29 A-1433, being more fully bounded and described as follows: BEGINNING at point number 313 in the centerline of Barns Lane, 30 - 12 -20070S0740B2488

1 Township Road No. 343, at the common southeastern corner of land 2 now or formerly of The Pennsylvania State University, U.P.I. No. 3 12-005-07A, the northeastern corner of land now or formerly of 4 The Pennsylvania State University, U.P.I. No. 12-005-08B, the 5 northwestern corner of Parcel 1.3, and a southwestern corner of 6 the herein described parcel;

7 THENCE along land now or formerly of The Pennsylvania State University, U.P.I. No. 12-005-07A points 45 and 46, along lands 8 9 now or formerly of Schaeffer, U.P.I. No. 12-005-002 and lands 10 now or formerly of the Pennsylvania State University U.P.I. No. 11 12-003-109, points 46 through 49 and concluding along the centerline of Barns Lane points 300 through 313 the following 12 13 courses expressed in units of the Pennsylvania State Plane 14 Coordinate System, North American Datum of 1983, United States 15 Survey Feet:

16 Line 313-45: N 57-09-12 W Length: 585.95

17 Line 45-46: N 57-08-47 W Length: 519.25

18 Line 46-47: N 52-43-46 E Length: 920.39

19 Line 47-48: N 52-42-39 E Length: 2283.77

20 Line 48-49: N 46-26-16 E Length: 38.04

 21
 Curve 300-301: Length: 124.12
 Radius: 300.00

Delta: -23-42-22

23 Chord: 123.24 Course: S 30-49-48 W

24 Line 301-302: S 18-58-37 W Length: 329.77

25 Line 302-303: S 15-58-37 W Length: 257.27

26 Line 303-304: S 25-37-29 W Length: 267.19

27 Line 304-305: S 22-27-27 W Length: 109.57

28 Line 305-306: S 17-40-10 W Length: 161.24

29 Line 306-307: S 22-13-15 W Length: 123.73

30 Curve 307-308: Length: 245.19

Radius: 500.00

Tangent: 62.96

20070S0740B2488

22

- 13 -

1 Delta: 28-05-46 Tangent: 125.11 Chord: 242.74 2 Course: S 36-16-08 W 3 Line 308-309: S 50-19-01 W Length: 324.44 4 Curve 309-310: Length: 94.65 Radius: 500.00 5 Delta: -10-50-46 Tangent: 47.47 Chord: 94.51 Course: S 44-53-38 W 6 Line 310-311: S 39-28-15 W Length: 400.32 7 Line 311-312: S 42-01-21 W Length: 504.69 8 Line 312-313: S 36-30-07 W Length: 171.13 9 10 to the point of beginning. 11 CONTAINING: 2,075,079 sq.ft. or 47.6373 acres of land, gross 12 area, be the same more or less. 13 PARCEL 1.3 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 14 Township, Centre County, Pennsylvania, shown as "Parcel 1.3" on 15 16 plans prepared by Sweetland Engineering and Associates, Inc. 17 entitled "Proposed Plan for Disposition of Commonwealth Real 18 Property at the State Correctional Institution at Rockview", 19 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and as shown on the attached "Parcel Exhibit Plan", drawing number 20 21 A-1434, being more fully bounded and described as follows: 22 BEGINNING at point number 313 in the centerline of Barns Lane, 23 Township Road No. 343, at the common southeastern corner of land 24 now or formerly of the Pennsylvania State University, U.P.I. No. 25 12-005-07A, the northeastern corner of land now or formerly of 26 the Pennsylvania State University, U.P.I. No. 12-005-08B, the southwestern corner of Parcel 1.2, and a northwestern corner of 27 28 the herein described parcel; 29 THENCE along the centerline of Barns Lane points 313 through 300 30 in reverse order, continuing along the centerline of Barns Lane

- 14 -

20070S0740B2488

points 49 through 53, along lands now or formerly of Ross U.P.I. 1 2 No. 12-003-128A to point 54, along Parcel 6.2 points 330 through 3 364, along land now or formerly of The Pennsylvania State 4 University, U.P.I. No. 12-005-004 and No. 12-005-004C points 32 5 to 33, along the centerline of Barns Lane points 34 through 38, along land now or formerly of the Pennsylvania State University, 6 U.P.I. No. 12-005-008C and No. 12-005-008 points 39 through 44, 7 and concluding along land now or formerly of the Pennsylvania 8 9 State University, U.P.I. No. 12-005-08B to point 313 the 10 following courses expressed in units of the Pennsylvania State 11 Plane Coordinate System, North American Datum of 1983, United 12 States Survey Feet: 13 Line 313-312: N 36-30-07 E Length: 171.13 14 Line 312-311: N 42-01-21 E Length: 504.69 15 Line 311-310: N 39-28-15 E Length: 400.32 16 Curve 310-309: Length: 94.65 Radius: 500.00 Delta: 10-50-46 Tangent: 47.47 17 18 Chord: 94.51 Course: N 44-53-38 E Line 309-308: N 50-19-01 E Length: 324.44 19 Curve 308-307: Length: 245.19 20 Radius: 500.00 Delta: -28-05-46 Tangent: 125.11 21 22 Chord: 242.74 Course: N 36-16-08 E Line 307-306: N 22-13-15 E Length: 123.73 23 Line 306-305: N 17-40-10 E Length: 161.24 24 25 Line 305-304: N 22-27-27 E Length: 109.57 26 Line 304-303: N 25-37-29 E Length: 267.19 27 Line 303-302: N 15-58-37 E Length: 257.27 28 Line 302-301: N 18-58-37 E Length: 329.77 29 Curve 301-300: Length: 124.12 Radius: 300.00 30 Delta: 23-42-22 Tangent: 62.96 - 15 -20070S0740B2488

1	Chord: 123.24 Course: N 30-49-	-48 E
2	2 Line 300-49: N 46-26-16 E Length: 19.94	
3	B Line 49-50: N 53-47-56 E Length: 298.55	
4	Line 50-51: N 54-50-37 E Length: 558.06	
5	5 Line 51-52: N 54-12-32 E Length: 822.91	
6	5 Line 52-53: N 54-07-25 E Length: 71.92	
7	7 Line 53-54: S 44-27-16 E Length: 2189.69	
8	3 Line 54-330: S 03-21-25 W Length: 216.36	
9	) Line 330-331: S 38-55-30 E Length: 235.51	
10	) Line 331-332: S 47-51-38 E Length: 285.20	
11	Line 332-333: S 45-30-56 E Length: 185.38	
12	2 Line 333-334: S 56-18-17 E Length: 316.38	
13	3 Line 334-335: S 67-40-24 E Length: 223.08	
14	Line 335-336: S 75-23-13 E Length: 208.45	
15	5 Line 336-337: S 68-22-33 E Length: 190.22	
16	5 Line 337-338: S 69-14-05 E Length: 283.13	
17	/ Line 338-339: S 48-52-47 W Length: 555.78	
18	B Line 339-340: S 29-19-50 W Length: 340.34	
19	9 Line 340-341: S 04-48-28 E Length: 471.66	
20	) Curve 341-342: Length: 72.09 Radii: 225.00	
21	Delta: 18-21-26 Tangent: 36.36	
22	2 Chord: 71.78 Course: S 81-12-	-02 W
23	Curve 342-343: Length: 365.76 Radius:	1525.00
24	Delta: 13-44-31 Tangent: 183.76	
25	Chord: 364.88 Course: N 82-45-	-00 W
26	5 Line 343-344: N 75-52-44 W Length: 84.04	
27	Curve 344-345: Length: 266.24 Radius:	725.00
28	B Delta: 21-02-27 Tangent: 134.64	
29	Chord: 264.75 Course: N 65-21-	-31 W
30	Curve 345-346: Length: 140.72 Radius:	325.00
200	0070S0740B2488 - 16 -	

1	Delta: -24-48-30	Tangent:	71.48
2	Chord: 139.62	Course:	N 67-14-33 W
3	Curve 346-347: Length: 114.21		Radius: 525.00
4	Delta: 12-27-50	Tangent:	57.33
5	Chord: 113.98	Course:	N 73-24-53 W
б	Line 347-348: N 67-10-58 W Length:	433.56	
7	Curve 348-349: Length: 134.05		Radius: 200.00
8	Delta: -38-24-11	Tangent:	69.65
9	Chord: 131.56	Course:	N 86-23-03 W
10	Line 349-350: S 74-24-52 W Length:	61.47	
11	Line 350-351: S 69-04-02 W Length:	495.05	
12	Line 351-352: S 45-11-47 W Length:	651.49	
13	Line 352-353: S 08-42-32 W Length:	262.21	
14	Line 353-354: S 11-37-49 W Length:	257.03	
15	Line 354-355: S 47-37-45 E Length:	223.41	
16	Line 355-356: S 45-16-41 W Length:	714.27	
17	Line 356-357: S 44-55-34 W Length:	376.59	
18	Line 357-358: S 07-06-45 E Length:	317.73	
19	Line 358-359: S 21-50-18 W Length:	559.38	
20	Line 359-360: S 47-01-53 W Length:	349.46	
21	Line 360-361: N 84-48-52 W Length:	319.13	
22	Line 361-362: N 35-32-07 W Length:	271.65	
23	Line 362-363: N 87-43-10 W Length:	271.91	
24	Line 363-364: N 86-45-40 W Length:	760.48	
25	Line 364-32: S 72-05-17 W Length:	1238.01	
26	Line 32-33: N 37-20-05 W Length:	1121.00	
27	Curve 33-34: Length: 131.97	Ι	Radius: 222.50
28	Delta: 33-58-59	Tangent:	67.99
29	Chord: 130.04	Course:	N 38-12-46 E
30	Line 34-35: N 55-12-16 E Length	: 173.69	
200	709074082488 - 17 -		

20070S0740B2488

1	Line	35-36:	Ν	54-32-13	Ε	Length:	246.09
2	Line	36-37:	Ν	35-48-18	W	Length:	220.53
3	Line	37-38:	Ν	26-06-44	Е	Length:	969.25
4	Line	38-39:	S	37-42-30	Е	Length:	903.31
5	Line	39-40:	S	37-42-30	Е	Length:	858.16
6	Line	40-41:	Ν	31-57-27	Е	Length:	1283.54
7	Line	41-42:	Ν	57-27-12	W	Length:	278.61
8	Line	42-43:	Ν	32-21-26	Е	Length:	312.52
9	Line	43-44:	Ν	56-42-41	W	Length:	976.45
10	Line	44-313:	Ν	56-49-35	W	Length:	313.91
11	to the point of beginning.						

12 EXCEPTING AND RESERVING the entire bounds of PARCEL 13, located 13 within the bounds of Parcel 1.3, bounded and described as 14 follows:

ALL THAT CERTAIN PARCEL or tract of land situated in Benner 15 16 Township, Centre County, Pennsylvania, shown as "Parcel 13" on 17 plans prepared by Sweetland Engineering and Associates, Inc. 18 entitled "Proposed Plan for Disposition of Commonwealth Real 19 Property at the State Correctional Institution at Rockview", 20 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 21 as shown on the attached "Parcel Exhibit Plan", drawing number 22 A-1451, being more fully bounded and described as follows: 23 COMMENCING at point number 313 in the centerline of Barns Lane, 24 Township Road No. 343, at the common southeastern corner of land 25 now or formerly of the Pennsylvania State University, U.P.I. No. 26 12-005-07A, the northeastern corner of land now or formerly of the Pennsylvania State University, U.P.I. No. 12-005-08B, the 27 southwestern corner of Parcel 1.2, and the northwestern corner 28 29 of Parcel 1.3;

30 THENCE N 63-54-00 E, Length 1925.20 feet to the point of 20070S0740B2488 - 18 -

BEGINNING at the northwestern corner of the herein described 1 2 parcel; 3 THENCE along Parcel 1.3 points 550 through 553 to 550, the 4 following courses expressed in units of the Pennsylvania State 5 Plane Coordinate System, North American Datum of 1983, United 6 States Survey Feet: 7 Line 550-551: N 53-07-48 E Length: 300.00 Line 551-552: S 36-52-12 E Length: 300.00 8 Line 552-553: S 53-07-48 W Length: 300.00 9 10 Line 553-550: N 36-52-12 W Length: 300.00 11 Which exception contains 90,000 square feet or 2.0661 acres of 12 land, gross area. 13 CONTAINING, in PARCEL 1.3 a resultant area of 20,595,686 sq.ft. 14 or 472.8119 acres of land, gross area, be the same more or less. 15 PARCEL 1.4 16 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 17 Township, Centre County, Pennsylvania, shown as "Parcel 1.4" on 18 plans prepared by Sweetland Engineering and Associates, Inc. entitled "Proposed Plan for Disposition of Commonwealth Real 19 20 Property at the State Correctional Institution at Rockview", 21 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 22 as shown on the attached "Parcel Exhibit Plan", drawing number 23 A-1435, being more fully bounded and described as follows: 24 BEGINNING at point number 154 in the northern right-of-way line 25 for limited access of SR6026 section C03 at its intersection 26 with the western right-of-way for limited access of SR3041, 27 Shiloh Road, and the southeastern corner of the herein described 28 parcel; 29 THENCE along the northern right-of-way line for limited access 30 of SR6026 section C03 points 154 through 157 to point 1, along

20070S0740B2488

- 19 -

the triangular residue of lands now or formerly of University 1 2 Area Joint Authority, U.P.I. No. 37-005-024G to point 2, along 3 land now or formerly of Delafield, U.P.I. No. 37-005-015, points 4 3 to 4, along Parcel 6.1, points 380 through 389, along Parcel 5 18, points 390 through 397 and concluding along the western right-of-way for limited access of SR3041, Shiloh Road, points 6 7 150 through 154 the following courses expressed in units of the Pennsylvania State Plane Coordinate System, North American Datum 8 9 of 1983, United States Survey Feet: 10 Line 154-155: S 61-44-18 W Length: 786.25 11 Line 155-156: S 60-51-43 W Length: 550.97 Line 156-157: S 66-00-49 W Length: 415.98 12 13 Curve 157-1: Length: 167.97 Radius: 2670.79 Delta: 3-36-12 Tangent: 84.01 14 15 Chord: 167.94 Course: S 68-18-02 W 16 Line 1-2: N 39-24-27 W Length: 105.62 17 2-3: N 51-04-19 E Length: 1057.37 Line 18 Line 3-4: N 38-46-35 W Length: 1963.50 19 4-380: N 39-45-37 E Length: 262.23 Line Line 380-381: N 05-33-57 W Length: 799.88 20 21 Line 381-382: N 38-41-10 W Length: 173.21 22 Line 382-383: N 53-48-52 E Length: 322.04 23 Line 383-384: N 47-27-00 E Length: 443.63 Line 384-385: N 60-04-56 E Length: 401.00 24 25 Line 385-386: N 73-24-07 E Length: 700.14 26 Line 386-387: N 82-55-57 E Length: 667.28 27 Line 387-389: N 77-56-58 E Length: 278.99 28 Line 389-390: S 16-10-05 W Length: 73.05 29 Curve 390-391: 649.26 Radius: 1025.00 30 Delta: -36-17-33 Tangent: 335.94

20070S0740B2488

1 Chord: 638.46 Course: S 01-58-42 E Line 391-392: S 20-07-28 E Length: 231.37 2 3 Curve 392-393: Length: 323.93 Radius: 325.00 Tangent: 176.85 4 Delta: 57-06-25 5 Chord: 310.69 Course: S 08-25-44 W Curve 393-394: Length: 127.37 Radius: 275.00 6 Delta: 26-32-18 7 Tangent: 64.85 8 Chord: 126.24 Course: S 50-15-05 W Line 394-395: S 63-31-14 W Length: 321.97 9 10 Curve 395-396: Length: 574.21 Radius: 450.00 11 Delta: -73-06-40 Tangents: 333.66 Chord: 536.04 Course: S 26-57-54 W 12 13 Line 396-397: S 09-35-26 E Length: 682.71 14 Line 397-150: S 80-25-53 W Length: 44.81 15 Line 150-151: S 09-59-00 E Length: 392.39 16 Line 151-152: S 12-29-48 E Length: 120.79 17 Line 152-153: S 09-14-07 E Length: 342.03 18 Line 153-154: S 17-53-41 E Length: 116.55 19 to the point of Beginning. 20 CONTAINING: 6,648,754 sq.ft. or 152.6344 acres of land, gross 21 area, be the same more or less. 22 PARCEL 1.5 23 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 24 Township, Centre County, Pennsylvania, shown as "Parcel 1.5" on 25 plans prepared by Sweetland Engineering and Associates, Inc. 26 entitled "Proposed Plan for Disposition of Commonwealth Real 27 Property at the State Correctional Institution at Rockview", drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 28 29 as shown on the attached "Parcel Exhibit Plan", drawing number 30 A-1436, being more fully bounded and described as follows: 20070S0740B2488 - 21 -

BEGINNING at point number 420 in the northern terminus of the 1 2 right-of-way line for limited access of SR3041 section C03, 3 Shiloh Road, at the southeastern corner of Parcel 18 and a 4 western corner of the herein described parcel; 5 THENCE along Parcel 18, points 421 through 428, along Parcel 6 6.2, points 429 through 447, along Parcel 16, points 448 through 7 453, along the northern right-of-way line for limited access of SR6026 section C03 points 123 through 149 to point 420 the 8 9 following courses expressed in units of the Pennsylvania State 10 Plane Coordinate System, North American Datum of 1983, United 11 States Survey Feet: Line 420-421: N 09-35-26 W Length: 682.73 12 13 Curve 421-422: Length: 510.41 Radius: 400.00 Delta: 73-06-40 Tangent: 296.59 14 15 Chord: 476.48 Course: N 26-57-54 E Line 422-423: N 63-31-14 E Length: 321.97 16 Curve 423-424: Length: 150.53 17 Radius: 325.00 Delta: -26-32-18 Tangent: 76.64 18 19 Chord: 149.19 Course: N 50-15-05 E Curve 424-425: Length: 373.76 Radius: 375.00 20 Delta: -57-06-24 21 Tangent: 204.06 22 Chord: 358.48 Course: N 08-25-44 E Line 425-426: N 20-07-28 W Length: 231.37 23 24 Curve 426-427: Length: 617.59 Radius: 975.00 Delta: 36-17-33 Tangent: 319.55 25 26 Chord: 607.31 Course: N 01-58-42 W 27 Line 427-428: N 16-10-05 E Length: 99.88 28 Line 428-429: N 77-56-58 E Length: 413.99 29 Line 429-430: N 39-40-27 E Length: 220.35 30 Line 430-431: N 32-20-01 E Length: 226.97 20070S0740B2488 - 22 -

1	Line 431	L-432: N	30-38-01	Ε	Length:	410.55		
2	Line 432	2-433: N	78-50-25	Ε	Length:	419.33		
3	Line 433	3-434: N	69-45-37	Ε	Length:	649.05		
4	Line 434	1-435: N	24-13-10	Ε	Length:	382.66		
5	Line 435	5-436: N	13-42-00	Ε	Length:	397.14		
6	Line 436	5-437: N	10-16-23	W	Length:	209.58		
7	Line 437	7-438: N	15-11-40	Е	Length:	310.87		
8	Line 438	8-439: N	56-23-00	Е	Length:	194.68		
9	Line 439	9-440: N	82-12-29	Ε	Length:	302.80		
10	Line 44(	)-441: S	69-48-34	Ε	Length:	213.09		
11	Line 441	L-442: N	80-22-54	Е	Length:	405.70		
12	Line 442	2-443: N	86-00-57	Е	Length:	400.97		
13	Line 443	3-444: N	82-00-01	Е	Length:	291.36		
14	Line 444	1-445: N	36-13-30	Е	Length:	410.66		
15	Line 445	5-446: N	56-04-13	Е	Length:	82.92		
16	Line 446	5-447: N	47-10-49	Ε	Length:	221.95		
17	Line 447	7-448: S	35-05-27	Ε	Length:	70.37		
18	Line 448	3-449: S	27-37-27	Е	Length:	517.07		
19	Line 449	9-450: S	45-07-27	Ε	Length:	333.40		
20	Line 450	)-451: S	39-40-31	W	Length:	121.08		
21	Line 451	L-452: S	50-19-29	Е	Length:	380.89		
22	Line 452	2-453: S	58-26-10	Е	Length:	385.97		
23	Line 453	3-123: S	21-11-24	W	Length:	37.05		
24	Line 123	3-124: S	27-35-26	W	Length:	202.24		
25	Line 124	l−125: S	19-25-20	W	Length:	208.81		
26	Line 125	5-126: S	36-07-17	W	Length:	400.00		
27	Line 126	5-127: s	60-20-57	W	Length:	219.32		
28	Line 127	7-128: S	37-12-08	W	Length:	573.89		
29	Line 128	3-129: S	11-11-54	W	Length:	336.11		
30	Curve 12	29-130:	Length: 68	31	.16		Radius:	7469.44
200	70S0740B2	2488			- 23 -			

1	Delta: 5-13-30	Tangent: 340.82						
2	Chord: 680.92	Course: S 45-18-46 W						
3	Line 130-131: S 47-56-16 W Length:	388.27						
4	Line 131-132: S 45-16-56 W Length:	408.54						
5	Line 132-133: S 50-54-04 W Length:	700.00						
6	Line 133-134: S 89-33-39 W Length:	256.12						
7	Line 134-135: S 53-45-48 W Length:	400.50						
8	Line 135-136: S 48-59-31 W Length:	600.33						
9	Line 136-137: S 60-40-07 W Length:	359.56						
10	Line 137-138: S 17-28-34 W Length:	299.54						
11	Line 138-139: S 66-43-13 W Length:	311.81						
12	Line 139-140: N 06-26-17 W Length:	231.62						
13	Line 140-141: S 85-19-31 W Length:	284.60						
14	Line 141-142: S 06-03-25 E Length:	400.66						
15	Line 142-143: S 49-31-27 W Length:	273.53						
16	Line 143-144: N 83-23-52 W Length:	242.73						
17	Line 144-145: N 64-59-41 W Length:	313.59						
18	Curve 145-146: Length: 248.35	Radius: 470.00						
19	Delta: -30-16-30	Tangent: 127.15						
20	Chord: 245.47	Course: N 74-38-58 W						
21	Curve 146-147: Length: 70.00	Radius: 410.00						
22	Delta: -9-46-56	Tangent: 35.09						
23	Chord: 69.92	Course: S 85-19-19 W						
24	Line 147-148: S 80-26-29 W Length:	254.02						
25	Line 148-149: N 09-34-07 W Length:	105.24						
26	Line 149-420: S 80-25-53 W Length:	45.19						
27	to the point of Beginning.							
28	8 CONTAINING: 16,497,801 sq.ft. or 378.7374 acres of land, gross							
29	29 area, be the same more or less.							
30	PARCEL	1.6						
200	70S0740B2488 - 24 -							

ALL THAT CERTAIN PARCEL or tract of land situated in Benner 1 2 Township, Centre County, Pennsylvania, shown as "Parcel 1.6" on 3 plans prepared by Sweetland Engineering and Associates, Inc. 4 entitled "Proposed Plan for Disposition of Commonwealth Real 5 Property at the State Correctional Institution at Rockview", drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 6 7 as shown on the attached "Parcel Exhibit Plan", drawing number A-1437, being more fully bounded and described as follows: 8 9 BEGINNING at point number 480 in the northern right-of-way line 10 for limited access of SR6026 section C03 at the eastern corner 11 of Parcel 16 and the southwestern corner of the herein described 12 parcel; 13 THENCE along Parcel 16, points 480 through 490, along Parcel 14 6.2, points 490 to 491, along Parcel 6.3 points 491 through 494 15 to 117, along the northern right-of-way line for limited access 16 of SR6026 section C03 points 117 through 120 to 480 the 17 following courses expressed in units of the Pennsylvania State 18 Plane Coordinate System, North American Datum of 1983, and 19 United States Survey Feet: 20 Line 480-481: N 50-59-47 W Length: 0.18 21 Line 481-482: N 50-59-28 W Length: 178.71 Curve 482-483: Length: 179.87 22 Radius: 425.00 23 Delta: -24-14-55 Tangent: 91.30 24 Chord: 178.53 Course: N 63-06-55 W 25 Line 483-484: N 75-14-22 W Length: 354.58 26 Curve 484-485: Length: 216.63 Radius: 1175.00 27 Delta: 10-33-48 Tangent: 108.62 Chord: 216.32 Course: N 69-57-28 W 28 Curve 485-486: Length: 479.26 29 Radius: 725.00 30 Delta: 37-52-32 Tangent: 248.76

20070S0740B2488

- 25 -

Chord: 470.58 1 Course: N 45-44-18 W 2 Line 486-487: N 26-48-02 W Length: 146.74 3 Curve 487-488: Length: 222.75 Radius: 1175.00 Delta: 10-51-42 Tangent: 111.71 4 5 Chord: 222.41 Course: N 21-22-11 W Line 488-489: N 15-56-20 W Length: 106.28 6 Curve 489-490: Length: 0.70 Radius: 475.00 7 8 Delta: -0-05-04 Tangent: 0.35 Chord: 0.70 Course: N 15-58-52 W 9 Line 490-491: N 47-10-49 E Length: 499.37 10 11 Line 491-492: S 49-57-00 E Length: 920.15 Line 492-493: S 66-06-44 E Length: 317.09 12 13 Line 493-494: N 19-43-54 E Length: 641.05 Line 494-117: S 65-38-49 E Length: 305.94 14 15 Line 117-118: S 65-38-49 E Length: 245.15 Line 118-119: S 08-38-49 W Length: 281.78 16 17 Line 119-120: S 36-07-17 W Length: 700.00 18 Line 120-480: S 43-42-57 W Length: 385.04 to the point of Beginning. 19 CONTAINING: 1,573,336 sq.ft. or 36.1188 acres of land, gross 20 21 area, be the same more or less. 22 (c) Easements.--The conveyance shall be made under and 23 subject to all lawful and enforceable easements, servitudes and 24 rights of others, including but not confined to streets, 25 roadways and rights of any telephone, telegraph, water, 26 electric, gas or pipeline companies, as well as under and 27 subject to any lawful and enforceable estates or tenancies 28 vested in third persons appearing of record, for any portion of 29 the land or improvements erected thereon. 30 (d) Land use restriction.--

20070S0740B2488

- 26 -

1 (1) The deed of conveyance shall contain the following 2 restrictive covenant: "Under and subject to a condition that 3 the land conveyed herein shall be used solely for 4 agricultural purposes in the furtherance of the Grantees 5 mission of education related to agricultural sciences. Should 6 the Grantee attempt to convey the property, or utilize it for 7 any other purpose, the property shall immediately revert to 8 the Grantor."

9 The conveyance shall be made under and subject to a (2) 10 restrictive covenant that the Grantee shall convey and record 11 a perpetual conservation easement to the Clearwater 12 Conservancy and the Department of Conservation and Natural 13 Resources as coholders as that term is defined in the act of June 22, 2001 (P.L.390, No.29), known as the Conservation and 14 15 Preservation Easements Act, their successors and assigns, 16 that the Grantee shall negotiate with the Clearwater 17 Conservancy and the Department of Conservation and Natural 18 Resources and the perpetual conservation easement shall be in 19 furtherance of the following conservation goals: to preserve the property's unique natural resources, including the 20 21 biological resources, native species and their supporting 22 habitats which include native species that are uncommon in 23 Pennsylvania; and to preserve the integrity of Spring Creek, 24 currently designated as a high-quality cold water fishery 25 which requires the protection of the property's groundwater 26 recharge value and its springs, wetlands and floodplains, 27 consistent with the master plan to be developed for the 28 property by Benner Township and the Department of 29 Conservation and Natural Resources. The covenant shall 30 provide that in the event the perpetual conservation easement 20070S0740B2488 - 27 -

1 is not so conveyed and recorded within two years of the 2 effective date of the conveyance under subsection (a) or 3 completion of the master plan, whichever is longer, then the 4 property shall immediately revert to the Commonwealth of 5 Pennsylvania.

(e) Gaming facility restriction. -- Any conveyance authorized 6 under this section shall be made under and subject to the 7 condition, which shall be contained in the deed of conveyance, 8 that no portion of the property conveyed shall be used as a 9 10 licensed facility as defined in 4 Pa.C.S. § 1103 (relating to 11 definitions) or any other similar type of facility authorized under State law. The condition shall be a covenant running with 12 13 the land and shall be binding upon the Grantee, its successors and assigns. Should the Grantee, its successors or assigns, 14 15 permit any portion of the property authorized to be conveyed in this section to be used in violation of this subsection, the 16 17 title shall immediately revert to and revest in the Grantor. 18 (f) Restriction on land application of sewage sludge. -- Any 19 conveyance authorized under this section shall be made under and 20 subject to the condition, which shall be contained in the deed 21 of conveyance, that no portion of the property conveyed may be 22 used for the land application of sewage sludge, as defined in 25 23 Pa.Code Ch. 271 Subch. J (relating to beneficial use of sewage sludge by land application). The condition shall be covenant on 24 25 running with the land and shall be binding upon the grantee, its 26 successors and assigns. Should the grantee, its successors or 27 assigns, permit any portion of the property authorized to be 28 conveyed in this section to be used in violation of this subsection, the title shall immediately revert to and revest in 29

30 the grantor.

20070S0740B2488

- 28 -

(g) Execution.--The deed of conveyance shall be by Special
 Warranty Deed and shall be executed by the Secretary of General
 Services in the name of the Commonwealth.

4 (h) Costs and fees.--Costs and fees incidental to this5 conveyance shall be borne by the Grantee.

6 (i) Nonconveyance.--In the event that this conveyance is not
7 executed within 12 months of the effective date of this section,
8 the authority contained herein shall expire.

9 Section 4. Conveyance to Benner Township in Benner Township,
10 Centre County, Pennsylvania.

(a) Authorization.--The Department of General Services, with the approval of the Governor, is hereby authorized on behalf of the Commonwealth of Pennsylvania to grant and convey to Benner Township certain land and improvements situate in Benner Township, Centre County for \$1 and under terms and conditions to be established in an Agreement of Sale with the Department of General Services.

18 (b) Description.--The property to be conveyed pursuant to 19 subsection (a) consists of 4 parcels totaling 399.4438 acres and 20 improvements thereon bounded and more particularly described as 21 follows:

22

#### PARCEL 6.1

23 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 24 Township, Centre County, Pennsylvania, shown as "Parcel 6.1" on 25 plans prepared by Sweetland Engineering and Associates, Inc. 26 entitled "Proposed Plan for Disposition of Commonwealth Real 27 Property at the State Correctional Institution at Rockview ", drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 28 29 as shown on the attached "Parcel Exhibit Plan", drawing number 30 A-1443, being more fully bounded and described as follows: 20070S0740B2488 - 29 -

BEGINNING at point 7 in the centerline of Rock Road, T-376 in the northern line of lands now or formerly of Betty H. Delafield, U.P.I. No. 37-005-015 at the common southeastern corner of lands of the Pennsylvania State University U.P.I. No. 12-004-037A and the southwestern corner of the herein described parcel;

7 THENCE along the centerline of Rock Road points 7 through 16 to 8 640, along Parcel 7 points 640 through 671, Parcel 18 points 671 9 through 674 and 389, along Parcel 1.4 points 389 through 380 in 10 reverse order and 4, along land now or formerly of Betty H. 11 Delafield, U.P.I. No. 37-005-015 points 4 through 7, the following courses expressed in units of the Pennsylvania State 12 13 Plane Coordinate System, North American Datum of 1983, United 14 States Survey Feet:

Curve 7-8: Length: 155.94 15 Radius: 275.00 Delta: 32-29-26 Tangent: 80.13 16 17 Chord: 153.86 Course: N 12-59-49 W 18 Line 8-9: N 03-14-55 E Length: 84.14 19 Line 9-10: N 05-39-58 E Length: 206.45 Radius: 650.00 20 Curve 10-11: Length: 195.91 Delta: -17-16-07 Tangent: 98.70 21 Chord: 195.17 22 Course: N 02-58-05 W 23 Line 11-12: N 11-36-09 W Length: 474.71 Radius: 190.00 24 Curve 12-13: Length: 303.70 Delta: 91-34-54 Tangent: 195.32 25 26 Chord: 272.38 Course: N 34-11-18 E 13-14: N 79-58-45 E Length: 236.84 27 Line Curve 14-15: Length: 272.05 28 Radius: 600.00 Delta: -25-58-42 Tangent: 138.40 29 30 Chord: 269.72 Course: N 66-59-24 E 20070S0740B2488 - 30 -

1 Line 15-16: N 54-00-03 E Length: 392.64 2 Curve 16-640: Length: 1.28 Radius: 125.00 Delta: -0-35-16 Tangent: 0.64 3 4 Chord: 1.28 Course: N 53-42-25 E Line 640-641: S 35-59-58 E Length: 16.50 5 Line 641-642: S 86-19-10 E Length: 190.73 6 Curve 642-643: Length: 147.84 7 Radius: 175.00 8 Delta: -48-24-07 Tangent: 78.65 Course: N 69-28-47 E Chord: 143.48 9 10 Line 643-644: N 45-16-43 E Length: 168.91 11 Curve 644-645: Length: 562.61 Radius: 525.00 12 Delta: -61-24-02 Tangent: 311.73 13 Chord: 536.07 Course: N 14-34-43 E 14 Curve 645-646: Length: 394.08 Radius: 1025.00 Delta: -22-01-43 Tangent: 199.51 15 16 Chord: 391.66 Course: N 27-08-10 W 17 Line 646-647: N 38-09-01 W Length: 256.97 18 Curve 647-648: Length: 288.60 Radius: 400.00 Delta: 41-20-20 Tangent: 150.90 19 20 Chord: 282.38 Course: N 17-28-52 W 21 Line 648-649: N 03-11-18 E Length: 34.59 22 Curve 649-650: Length: 224.73 Radius: 650.00 23 Delta: 19-48-35 Tangent: 113.50 Chord: 223.62 24 Course: N 13-05-36 E 25 Line 650-651: N 50-51-19 E Length: 88.74 26 Line 651-652: S 26-41-31 E Length: 145.64 27 Line 652-653: N 59-33-23 E Length: 407.20 28 Line 653-654: N 70-04-02 E Length: 383.38 29 Line 654-655: N 63-46-07 E Length: 355.28 30 Line 655-656: N 24-16-12 W Length: 82.89 20070S0740B2488 - 31 -

1	Line 656-657: N 67-11-58 E Length:	190.34	
2	Line 657-658: N 57-57-44 E Length:	32.17	
3	Line 658-659: N 03-17-22 W Length:	28.00	
4	Line 659-660: N 49-35-35 E Length:	32.00	
5	Line 660-661: N 67-30-33 E Length:	80.15	
6	Line 661-662: N 69-10-11 E Length:	19.46	
7	Line 662-663: N 72-49-14 E Length:	48.70	
8	Line 663-664: S 81-14-59 E Length:	34.02	
9	Line 664-665: N 74-38-37 E Length:	65.10	
10	Line 665-666: N 80-53-38 E Length:	157.53	
11	Curve 666-667: Length: 335.29		Radius: 1975.00
12	Delta: 9-43-37	Tangent:	168.05
13	Chord: 334.89 Courses: N 8	5-45-26 E	
14	Line 667-668: S 89-22-45 E Length:	178.10	
15	Curve 668-669: Length: 143.44		Radius: 975.00
16	Delta: 8-25-45	Tangent:	71.85
17	Chord: 143.31	Course:	S 85-09-53 E
18	Curve 669-670: Length: 89.32		Radius: 1025.00
19	Delta: -4-59-34	Tangent:	44.69
20	Chord: 89.29	Course:	S 83-26-48 E
21	Line 670-671: S 85-56-35 E Length:	540.85	
22	Curve 671-672: Length: 33.32		Radius: 225.00
23	Delta: -8-29-07	Tangent:	16.69
24	Chord: 33.29	Course:	S 14-27-29 W
25	Line 672-673: S 10-12-55 W Length:	188.06	
26	Curve 673-674: Length: 18.18		Radius: 175.00
27	Delta: 5-57-10	Tangent:	9.10
28	Chord: 18.17	Course:	S 13-11-30 W
29	Line 674-389: S 16-10-05 W Length:	27.53	
30	Line 389-388: S 77-56-58 W Length:	3.93	
200	70S0740B2488 - 32 -		

Line 388-387: S 77-56-58 W Length: 275.06 1 Line 386-386: S 82-55-57 W Length: 667.28 2 3 Line 386-385: S 73-24-07 W Length: 700.14 4 Line 385-384: S 60-04-56 W Length: 401.00 Line 384-383: S 47-27-00 W Length: 443.63 5 Line 383-382: S 53-48-52 W Length: 322.04 6 Line 382-381: S 38-41-10 E Length: 173.21 7 8 Line 380-380: S 05-33-57 E Length: 799.88 380-4: S 39-45-37 W Length: 262.23 9 Line 10 Line 4-5: S 49-16-53 W Length: 1963.50 11 5-6: S 00-28-07 E Length: 395.13 Line 6-7: S 49-34-41 W Length: 35.38 12 Line 13 to the point of beginning. 14 CONTAINING: 2,682,643 sq.ft. or 61.5850 acres of land, gross 15 area, be the same more or less. 16 PARCEL 6.2 17 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 18 Township, Centre County, Pennsylvania, shown as "Parcel 6.2" on 19 plans prepared by Sweetland Engineering and Associates, Inc. 20 entitled "Proposed Plan for Disposition of Commonwealth Real 21 Property at the State Correctional Institution at Rockview", 22 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 23 as shown on the attached "Parcel Exhibit Plan", drawing number 24 A-1444, being more fully bounded and described as follows: 25 BEGINNING at point 280 in the centerline of Rock Road, T-376 26 being in the eastern line of lands now or formerly of the 27 Pennsylvania State University, U.P.I. No. 12-004-037A at the 28 common southwestern corner of Parcel 1.1 and the western corner 29 of the herein described parcel; THENCE along Parcel 1.1 points 280 through 260 in reverse order 30 - 33 -20070S0740B2488

and 31, along lands now or formerly of the Pennsylvania State 1 2 University, U.P.I. No. 12-005-004 points 31 to 32, along Parcel 3 1.3 points 364 through 330 in reverse order and 54, along lands 4 now or formerly of William J. Ross, U.P.I. No. 12-003-128A 5 points 54 to 55, along lands now or formerly of the Pennsylvania Fish and Boat Commission U.P.I. No. 12-003-128 points 55 through 6 7 61, along Parcel 15 points 61 and 591 through 570 in reverse order and 63, along Parcel 2 points 63 to 526 through 524 in 8 9 reverse order, along Parcel 6.3 points 524 to 491, along Parcel 10 1.6 points 491 to 490, along Parcel 16 points 490 to 627 through 11 620 in reverse order and 447, along Parcel 1.5 points 447 through 428 in reverse order, along Parcel 18 points 428 to 687 12 13 to 690 through 695, along Parcel 7 points 695 through 781, along 14 Parcel 17 points 781 to 806 through 800 in reverse order, along 15 the centerline of Rock Road, T-376 points 800 to 17 to 18 and 16 280, the following courses expressed in units of the 17 Pennsylvania State Plane Coordinate System, North American Datum 18 of 1983, United States Survey Feet: 19 280-279: N 24-17-11 E Length: 16.50 Line 20 Line 279-278: N 47-09-05 E Length: 74.93 21 Line 278-277: N 75-07-20 E Length: 65.53 22 Line 277-276: S 82-08-35 E Length: 62.49 23 276-275: S 70-17-38 E Length: 66.48 Line 24 Line 275-274: S 62-58-17 E Length: 78.47 25 Line 274-273: S 64-51-44 E Length: 48.62 26 Line 273-272: S 70-09-52 E Length: 63.97 27 272-271: S 79-49-31 E Length: 36.45 Line 28 271-270: N 81-28-50 E Length: 37.27 Line 270-269: N 66-36-32 E Length: 40.63 29 Line 269-268: N 49-17-44 E Length: 46.28 30 Line

20070S0740B2488

- 34 -

1	Line	268-267:	N	06-14-47	Е	Length:	61.42
2	Line	267-266:	Ν	05-06-21	Е	Length:	16.39
3	Line	266-265:	Ν	07-22-08	Е	Length:	62.04
4	Line	265-264:	Ν	37-58-39	W	Length:	376.58
5	Line	264-263:	Ν	44-04-10	W	Length:	248.96
6	Line	263-262:	Ν	12-26-49	W	Length:	345.52
7	Line	262-261:	Ν	07-17-13	Е	Length:	217.45
8	Line	261-260:	Ν	01-32-30	W	Length:	184.26
9	Line	260-31:	Ν	45-12-03	W	Length:	99.84
10	Line	31-32:	Ν	46-01-11	Е	Length:	1174.65
11	Line	32-364:	Ν	72-05-17	Е	Length:	1238.01
12	Line	364-363:	S	86-45-40	Е	Length:	760.48
13	Line	363-362:	S	87-43-10	Е	Length:	271.91
14	Line	362-361:	S	35-32-07	Е	Length:	271.65
15	Line	361-360:	S	84-48-52	Е	Length:	319.13
16	Line	360-359:	Ν	47-01-53	Е	Length:	349.46
17	Line	359-358:	Ν	21-50-18	Е	Length:	559.38
18	Line	358-357:	Ν	07-06-45	W	Length:	317.73
19	Line	357-356:	Ν	44-55-34	Е	Length:	376.59
20	Line	356-355:	Ν	45-16-41	Е	Length:	714.27
21	Line	355-354:	Ν	47-37-45	W	Length:	223.41
22	Line	354-353:	Ν	11-37-49	Е	Length:	257.03
23	Line	353-352:	Ν	08-42-32	Е	Length:	262.21
24	Line	352-351:	Ν	45-11-47	Е	Length:	651.49
25	Line	351-350:	Ν	69-04-02	Е	Length:	495.05
26	Line	350-349:	Ν	74-24-52	Е	Length:	61.47
27	Curve	349-348:	Le	ength: 134	4.0	5 Radiu	ıs: 200.00
28		Delta:	38	3-24-11		Tangent:	69.65
29		Chord:	13	31.56		:	S 86-23-03 E
30	Line	348-347:	S	67-10-58	Ε	Length:	433.56
20070S0740B2488						- 35 -	

Curve 347-346: Length: 114.21 Radius: 525.00 1 2 Delta: -12-27-50 Tangent: 57.33 3 Chord: 113.98 : S 73-24-53 E 4 Curve 346-345: Length: 140.72 Radius: 325.00 5 Delta: 24-48-30 Tangent: 71.48 Chord: 139.62 : S 67-14-33 E 6 7 Curve 345-344: Length: 266.24 Radius: 725.00 8 Delta: -21-02-27 Tangent: 134.64 Chord: 264.75 : S 65-21-31 E 9 10 Line 344-343: S 75-52-44 E Length: 84.04 11 Curve 343-342: Length: 365.76 Radius: 1525.00 12 Delta: -13-44-31 Tangent: 183.76 13 Chord: 364.88 : S 82-45-00 E 14 Curve 342-341 Length: 72.09 Radius: 225.00 15 Delta: -18-21-26 Tangent: 36.36 Chord: 71.78 : N 81-12-02 E 16 Line 341-340: N 04-48-28 W Length: 471.66 17 18 Line 340-339: N 29-19-50 E Length: 340.34 19 Line 339-338: N 48-52-47 E Length: 555.78 338-337: N 69-14-05 W Length: 283.13 20 Line 21 Line 337-336: N 68-22-33 W Length: 190.22 22 Line 336-335: N 75-23-13 W Length: 208.45 23 Line 335-334: N 67-40-24 W Length: 223.08 24 Line 334-333: N 56-18-17 W Length: 316.38 25 Line 333-332: N 45-30-56 W Length: 185.38 26 Line 332-331: N 47-51-38 W Length: 285.20 27 331-330: N 38-55-30 W Length: 235.51 Line 28 Line 330-54: N 03-21-25 E Length: 216.36 29 Line 54-55: N 72-30-02 E Length: 330.70 30 Line 55-56: N 76-23-13 E Length: 26.40

20070S0740B2488

- 36 -

1	Tino		a	21 00 47	Ē	Tomorth.	1 - 1 0 0
1	Line	56-57:		31-08-47	Ε	Length:	
2	Line	57-58:	S	48-08-47	Ε	Length:	660.00
3	Line	58-59:	S	66-08-47	Ε	Length:	577.50
4	Line	59-60:	S	84-08-47	Е	Length:	495.00
5	Line	60-61:	S	81-38-47	Ε	Length:	396.00
б	Line	61-592:	S	76-04-56	Е	Length:	186.23
7	Line	592-591:	S	70-06-23	Е	Length:	23.34
8	Line	591-590:	S	64-55-16	Е	Length:	58.49
9	Line	590-589:	S	43-01-16	Ε	Length:	46.79
10	Line	589-588:	S	32-03-06	Ε	Length:	41.87
11	Line	588-587:	S	20-40-38	Ε	Length:	71.75
12	Line	587-586:	S	11-11-35	W	Length:	75.95
13	Line	586-585:	S	23-31-50	W	Length:	3.51
14	Line	585-584:	S	62-33-43	W	Length:	77.11
15	Line	584-583:	S	74-06-26	W	Length:	112.91
16	Line	583-582:	S	75-13-08	W	Length:	115.85
17	Line	582-581:	S	76-24-41	W	Length:	202.18
18	Line	581-580:	S	77-55-55	W	Length:	153.16
19	Line	580-579:	S	74-44-21	W	Length:	99.88
20	Line	579-578:	S	15-15-39	Е	Length:	125.00
21	Line	578-577:	Ν	74-44-21	Е	Length:	96.40
22	Line	577-576:	Ν	77-55-55	Е	Length:	151.34
23	Line	576-575:	Ν	76-24-41	Е	Length:	205.14
24	Line	575-574:	Ν	75-13-08	Е	Length:	118.37
25	Line	574-573:	Ν	74-06-26	Е	Length:	126.76
26	Line	573-572:	Ν	62-33-43	Е	Length:	134.05
27	Line	572-571:	Ν	23-31-50	Е	Length:	61.33
28	Line	571-570:	Ν	11-11-35	Е	Length:	122.33
29	Line	570-63:	Ν	11-32-09	W	Length:	462.09
30	Line	63-526:	S	80-38-24	Е	Length:	357.01
200	70S074	0B2488				- 37 -	

1	Line	526-525: S 31-41-36 E Length: 434.23
2	Line	525-524: S 11-30-56 W Length: 278.82
3	Line	524-491: S 31-56-04 W Length: 1126.11
4	Line	491-490: S 47-10-49 W Length: 499.37
5	Curve	490-627 Length: 140.49 Radius: 475.00
6		Delta: -16-56-44 Tangent: 70.76
7		Chord: 139.97 : N 24-29-46 W
8	Line	627-626: N 32-58-09 W Length: 171.95
9	Curve	626-625 Length: 123.00 Radius: 225.00
10		Delta: -31-19-21 Tangent: 63.08
11		Chord: 121.48 : N 48-37-49 W
12	Curve	625-624 Length: 49.00 Radius: 110.00
13		Delta: -25-31-22 Tangent: 24.91
14		Chord: 48.60 : N 77-03-10 W
15	Line	624-623: N 64-19-31 W Length: 36.60
16	Line	623-622: N 83-31-21 W Length: 150.00
17	Line	622-621: S 06-28-39 W Length: 150.00
18	Line	621-620: S 83-31-21 E Length: 107.07
19	Line	620-447: S 35-05-27 E Length: 436.05
20	Line	447-446: S 47-10-49 W Length: 221.95
21	Line	446-445: S 56-04-13 W Length: 82.92
22	Line	445-444: S 36-13-30 W Length: 410.66
23	Line	444-443: S 82-00-01 W Length: 291.36
24	Line	443-442: S 86-00-57 W Length: 400.97
25	Line	442-441: S 80-22-54 W Length: 405.70
26	Line	441-440: N 69-48-34 W Length: 213.09
27	Line	440-439: S 82-12-29 W Length: 302.80
28	Line	439-438: S 56-23-00 W Length: 194.68
29	Line	438-437: S 15-11-40 W Length: 310.87
30	Line	437-436: S 10-16-23 E Length: 209.58
200	70S0740	DB2488 - 38 -

1	Line	436-435:	S 13-42-00 W Length: 397.14
2	Line	435-434:	S 24-13-10 W Length: 382.66
3	Line	434-433:	S 69-45-37 W Length: 649.05
4	Line	433-432:	S 78-50-25 W Length: 419.33
5	Line	432-431:	S 30-38-01 W Length: 410.55
6	Line	431-430:	S 32-20-01 W Length: 226.97
7	Line	430-429:	S 39-40-27 W Length: 220.35
8	Line	429-428:	S 77-56-58 W Length: 413.99
9	Line	428-687:	N 16-10-05 E Length: 0.70
10	Curve	687-690:	Length: 23.38 Radius: 225.00
11		Delta:	-5-57-10 Tangent: 11.70
12		Chord:	23.37 : N 13-11-30 E
13	Line	690-691:	N 10-12-55 E Length: 188.06
14	Curve	691-692:	Length: 39.34 Radius: 175.00
15		Delta:	12-52-44 Tangent: 19.75
16		Chord:	39.25 : N 16-39-17 E
17	Line	692-693:	N 23-05-39 E Length: 18.25
18	Curve	693-694:	Length: 71.32 Radius: 225.00
19		Delta:	-18-09-42 Tangent: 35.96
20		Chord:	71.02 : N 14-00-48 E
21	Line	694-695:	N 85-04-03 W Length: 50.00
22	Line	695-696:	S 87-37-15 W Length: 42.37
23	Line	696-697:	S 89-12-31 W Length: 28.47
24	Line	697-698:	N 88-39-21 W Length: 28.48
25	Line	698-699:	N 84-50-46 W Length: 20.12
26	Line	699-700:	N 84-33-25 W Length: 19.71
27	Line	700-701:	N 84-04-37 W Length: 79.72
28	Line	701-702:	N 82-26-15 W Length: 30.00
29	Line	702-703:	N 77-04-07 W Length: 19.99
30	Line	703-704:	N 75-25-28 W Length: 129.83
200	70S0740	)B2488	- 39 -

1	Line	704-705:	Ν	75-21-48	W	Length:	30.04
2	Line	705-706:	Ν	72-21-52	W	Length:	20.01
3	Line	706-707:	Ν	67-59-59	W	Length:	19.91
4	Line	707-708:	Ν	59-20-25	W	Length:	19.59
5	Line	708-709:	Ν	52-29-34	W	Length:	20.10
6	Line	709-710:	Ν	50-28-46	W	Length:	29.93
7	Line	710-711:	Ν	57-22-42	W	Length:	30.01
8	Line	711-712:	Ν	66-12-00	W	Length:	30.43
9	Line	712-713:	Ν	72-51-31	W	Length:	30.13
10	Line	713-714:	Ν	74-59-37	W	Length:	39.80
11	Line	714-715:	Ν	77-23-50	W	Length:	59.59
12	Line	715-716:	Ν	80-14-41	W	Length:	90.56
13	Line	716-717:	Ν	84-20-04	W	Length:	59.85
14	Line	717-718:	Ν	83-51-07	W	Length:	90.06
15	Line	718-719:	Ν	83-41-40	W	Length:	89.62
16	Line	719-720:	Ν	83-47-10	W	Length:	70.95
17	Line	720-721:	Ν	87-21-35	W	Length:	59.47
18	Line	721-722:	S	89-21-05	W	Length:	120.16
19	Line	722-723:	S	83-57-43	W	Length:	59.93
20	Line	723-724:	S	79-13-55	W	Length:	148.20
21	Line	724-725:	S	66-12-57	W	Length:	416.71
22	Line	725-726:	S	66-36-09	W	Length:	76.63
23	Line	726-727:	S	67-14-47	W	Length:	51.87
24	Line	727-728:	S	72-08-14	W	Length:	36.71
25	Line	728-729:	S	73-55-26	W	Length:	21.30
26	Line	729-730:	S	75-24-54	W	Length:	139.06
27	Line	730-731:	S	75-06-42	W	Length:	148.33
28	Line	731-732:	S	74-44-57	W	Length:	92.33
29	Line	732-733:	S	77-19-11	W	Length:	20.14
30	Line	733-734:	S	80-33-36	W	Length:	34.29
200	70S0740	OB2488				- 40 -	

1	Line	734-735:	S	80-15-59	W	Length:	266.00
2	Line	735-736:	S	72-29-39	W	Length:	51.90
3	Line	736-737:	S	71-53-06	W	Length:	80.32
4	Line	737-738:	S	68-02-11	W	Length:	65.91
5	Line	738-739:	S	64-30-56	W	Length:	128.43
6	Line	739-740:	S	62-01-57	W	Length:	86.71
7	Line	740-741:	S	60-49-07	W	Length:	38.03
8	Line	741-742:	S	57-55-27	W	Length:	54.32
9	Line	742-743:	S	54-49-10	W	Length:	74.58
10	Line	743-744:	S	50-58-41	W	Length:	29.76
11	Line	744-745:	S	44-11-58	W	Length:	49.91
12	Line	745-746:	S	39-02-49	W	Length:	26.95
13	Line	746-747:	S	32-19-11	W	Length:	25.21
14	Line	747-748:	S	27-10-11	W	Length:	19.31
15	Line	748-749:	S	18-26-06	W	Length:	28.96
16	Line	749-750:	S	11-14-57	W	Length:	36.46
17	Line	750-751:	S	02-57-39	W	Length:	41.29
18	Line	751-752:	S	04-16-42	Ε	Length:	72.61
19	Line	752-753:	S	02-08-55	Ε	Length:	42.49
20	Line	753-754:	S	00-12-01	Е	Length:	123.93
21	Line	754-755:	S	05-30-16	Е	Length:	100.27
22	Line	755-756:	S	14-44-30	Е	Length:	29.24
23	Line	756-757:	S	20-16-17	Е	Length:	65.77
24	Line	757-758:	S	24-53-31	Е	Length:	78.19
25	Line	758-759:	S	35-20-52	Ε	Length:	38.90
26	Line	759-760:	S	46-34-31	Ε	Length:	43.16
27	Line	760-761:	S	49-22-41	Ε	Length:	88.82
28	Line	761-762:	S	49-09-11	Ε	Length:	30.34
29	Line	762-763:	S	45-49-37	Е	Length:	39.49
30	Line	763-764:	S	42-17-42	Е	Length:	42.42
200	70S074	0B2488				- 41 -	

1	Line	764-765:	S	39-44-53	Е	Length:	45.12
2	Line	765-766:	S	38-21-37	Е	Length:	178.50
3	Line	766-767:	S	32-23-18	Е	Length:	108.10
4	Line	767-768:	S	27-47-08	Е	Length:	86.01
5	Line	768-769:	S	23-51-35	Е	Length:	96.24
6	Line	769-770:	S	19-46-52	Е	Length:	74.92
7	Line	770-771:	S	12-13-36	Е	Length:	70.92
8	Line	771-772:	S	03-55-48	Е	Length:	92.83
9	Line	772-773:	S	08-44-33	W	Length:	67.77
10	Line	773-774:	S	22-11-01	W	Length:	76.59
11	Line	774-775:	S	26-10-43	W	Length:	66.46
12	Line	775-776:	S	35-07-40	W	Length:	65.13
13	Line	776-777:	S	42-53-47	W	Length:	60.90
14	Line	777-778:	S	51-44-08	W	Length:	48.89
15	Line	778-779:	S	57-32-59	W	Length:	24.67
16	Line	779-780:	S	58-43-41	W	Length:	8.40
17	Line	780-781:	Ν	48-33-33	W	Length:	55.74
18	Line	781-806:	Ν	31-29-51	Ε	Length:	208.92
19	Line	806-805:	Ν	17-44-53	Е	Length:	176.53
20	Line	805-804:	Ν	72-15-07	W	Length:	150.00
21	Line	804-803:	S	17-44-53	W	Length:	158.44
22	Line	803-802:	S	31-29-51	W	Length:	196.83
23	Line	802-801:	S	78-09-51	W	Length:	142.44
24	Line	801-800:	S	34-09-30	W	Length:	16.50
25	Curve	800-17:	Le	ength: 3.9	53	Rad	ius: 125.00
26		Delta:	-1	L-37-04 Ta	ang	ent: 1.70	5
27		Chord:	3.	.53	: N	56-39-02	1 W
28	Line	17-18:	Ν	57-27-33	W	Length:	332.42
29	Line	18-280:	Ν	65-42-49	W	Length:	377.40
30	to th	e point o	E k	peginning	•		
200	70S074	0B2488				- 42 -	

CONTAINING: 13,219,534 sq.ft. or 303.48 acres of land, gross
 area, be the same more or less.

3

## PARCEL 6.3

4 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 5 Township, Centre County, Pennsylvania, shown as "Parcel 6.3" on 6 plans prepared by Sweetland Engineering and Associates, Inc. 7 entitled "Proposed Plan for Disposition of Commonwealth Real 8 Property at the State Correctional Institution at Rockview", 9 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 10 as shown on the attached "Parcel Exhibit Plan", drawing number 11 A-1442, being more fully bounded and described as follows: BEGINNING at point 116 in the northern right-of-way line for 12 limited access of SR6026 section C03 in the eastern line of 13 14 Parcel 2 at the southeastern corner of the herein described 15 parcel;

16 THENCE along the northern right-of-way line for limited access 17 of SR6026 section CO3 points 116 to 117, along Parcel 1.6 points 18 117 to 494 through 491 in reverse order, along Parcel 6.2 points 19 491 to 524, along Parcel 2 points 524 through 520 in reverse 20 order and 116, the following courses expressed in units of the 21 Pennsylvania State Plane Coordinate System, North American Datum 22 of 1983, United States Survey Feet:

Line Course: S 19-43-54 W Length: 354.40 23 24 Line Course: N 65-38-49 W Length: 305.94 25 Line Course: S 19-43-54 W Length: 641.05 26 Line Course: N 66-06-44 W Length: 317.09 27 Line Course: N 49-57-00 W Length: 920.15 28 Line Course: N 31-56-04 E Length: 1126.11 29 Line Course: S 46-26-49 E Length: 1021.22 30 Line Course: N 48-42-18 E Length: 50.00 20070S0740B2488 - 43 -

Line Course: S 41-17-42 E Length: 127.37 1 Radius: 175.00 2 Curve Length: 51.86 3 Delta: -16-58-41 Tangent: 26.12 4 Chord: 51.67 Course: S 49-47-02 E Line Course: S 59-41-39 E Length: 130.00 5 6 to the point of beginning. 7 CONTAINING: 1,330,914 sq.ft. or 30.55 acres of land, gross area, 8 be the same more or less. 9 PARCEL 18 10 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 11 Township, Centre County, Pennsylvania, shown as "Parcel 18" on 12 plans prepared by Sweetland Engineering and Associates, Inc. 13 entitled "Proposed Plan for Disposition of Commonwealth Real 14 Property at the State Correctional Institution at Rockview", 15 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 16 as shown on the attached "Parcel Exhibit Plan", drawing number 17 A-1456, being more fully bounded and described as follows: 18 BEGINNING at point number 420 in the northern terminus of the right-of-way line for limited access of SR3041 section C03, 19 20 Shiloh Road, at the southwestern corner of Parcel 1.5 and the 21 southeastern corner of the herein described parcel; 22 THENCE along the northern terminus of the right-of-way line for limited access of SR3041 section C03, Shiloh Road points 420 to 23 24 397, along Parcel 1.4 points 397 through 389 in reverse order, 25 along Parcel 6.1 points 389 and 674 to 671 in reverse order, along Parcel 7 points 671 to 689 to 688 to 695, along Parcel 6.2 26 27 points 695 to 690 in reverse order and 428, along Parcel 1.5 28 points 428 through 420 in reverse order, the following courses 29 expressed in units of the Pennsylvania State Plane Coordinate 30 System, North American Datum of 1983, United States Survey Feet: 20070S0740B2488 - 44 -

1 Line 420-397: S 80-25-53 W Length: 50.00 2 Line 397-396: N 09-35-26 W Length: 682.71 3 Curve 396-395: Length: 574.21 Radius: 450.00 Tangent: 333.66 Delta: 73-06-40 4 Course: N 26-57-54 E 5 Chord: 536.04 Line 395-394: N 63-31-14 E Length: 321.97 6 Curve 394-393: Length: 127.37 Radius: 275.00 7 8 Delta: -26-32-18 Tangent: 64.85 9 Chord: 126.24 Course: N 50-15-05 E 10 Curve 393-392: Length: 323.93 Radius: 325.00 Delta: -57-06-25 Tangent: 176.85 11 Chord: 310.69 Course: N 08-25-44 E 12 13 Line 392-391: N 20-07-28 W Length: 231.37 14 Curve 391-390: Length: 649.26 Radius: 1025.00 Delta: 36-17-33 15 Tangent: 335.94 Chord: 638.46 Course: N 01-58-42 W 16 17 Line 390-674: N 16-10-05 E Length: 100.58 18 Curve 674-673: Length: 18.18 Radius: 175.00 Tangent: 9.10 Delta: -5-57-10 19 Chord: 18.17 Course: N 13-11-30 E 20 21 Line 673-672: N 10-12-55 E Length: 188.06 22 Curve 672-689: Length: 50.58 Radius: 225.00 23 Delta: 12-52-44 Tangent: 25.39 24 Chord: 50.47 Course: N 16-39-17 E 25 Line 689-688: N 23-05-39 E Length: 18.25 26 Curve 688-695: Length: 55.47 Radius: 175.00 27 Delta: 18-09-42 Tangent: 27.97 28 Chord: 55.24 Course: N 14-00-48 E 29 Line 695-694: S 85-04-03 E Length: 50.00 30 Curve 694-693: Length: 71.32 Radius: 225.00 - 45 -20070S0740B2488

Delta: 18-09-42 1 Tangent: 35.96 Chord: 71.02 Course: S 14-00-48 W 2 3 Line 693-692: S 23-05-39 W Length: 18.25 4 Curve 692-691: Length: 39.34 Radius: 175.00 5 Delta: -12-52-44 Tangent: 19.75 Chord: 39.25 Course: S 16-39-17 W 6 Line 691-690: S 10-12-55 W Length: 188.06 7 8 Curve 690-687: Length: 23.38 Radius: 225.00 Delta: 5-57-10 Tangent: 11.70 9 Chord: 23.37 Course: S 13-11-30 W 10 11 Line 687-427: S 16-10-05 W Length: 100.58 12 Curve 427-426: Length: 617.59 Radius: 975.00 13 Delta: -36-17-33 Tangent: 319.55 Chord: 607.31 Course: S 01-58-42 E 14 15 Line 426-425: S 20-07-28 E Length: 231.37 16 Curve 425-424: Length: 373.76 Radius: 375.00 Delta: 57-06-25 Tangent: 204.06 17 Chord: 358.48 Course: S 08-25-44 W 18 19 Curve 424-423: Length: 150.53 Radius: 325.00 Delta: 26-32-18 Tangent: 76.64 20 Chord: 149.19 Course: S 50-15-05 W 21 22 Line 423-422: S 63-31-14 W Length: 321.97 23 Curve 422-421: Length: 510.41 Radius: 400.00 Delta: -73-06-40 Tangent: 296.59 24 Chord: 476.48 Course: S 26-57-54 W 25 26 Line 421-420: S 09-35-26 E Length: 682.73 27 CONTAINING: 166,780 sq.ft. or 3.8288 acres of land, gross area, 28 be the same more or less. 29 (c) Easements.--The conveyance shall be made under and 30 subject to all lawful and enforceable easements, servitudes and 20070S0740B2488 - 46 -

rights of others, including but not confined to streets,
 roadways and rights of any telephone, telegraph, water,
 electric, gas or pipeline companies, as well as under and
 subject to any lawful and enforceable estates or tenancies
 vested in third persons appearing of record, for any portion of
 the land or improvements erected thereon.

7

(d) Land use restriction. --

8 (1) The deed of conveyance shall contain the following 9 restrictive covenant: "Under and subject to a restriction 10 that the land conveyed herein shall be used solely for 11 passive recreational open space for the benefit of the public 12 at large. Should the Grantee attempt to convey the property, 13 or utilize it for any other purpose, the property shall 14 immediately revert to the Grantor."

15 (2) The conveyance shall be made under and subject to a 16 restrictive covenant that the Grantee shall convey and record 17 a perpetual conservation easement to the Clearwater 18 Conservancy and the Department of Conservation and Natural 19 Resources as coholders as that term is defined in the act of 20 June 22, 2001 (P.L.390, No.29), known as the Conservation and Preservation Easements Act, their successors and assigns, 21 22 that Grantee shall be negotiate with the Clearwater 23 Conservancy and the Department of Conservation and Natural 24 Resources and the perpetual conservation easement shall be in 25 furtherance of the following conservation goals: to preserve 26 the property's unique natural resources, including the 27 biological resources, native species and their supporting 28 habitats which include native species that are uncommon in 29 Pennsylvania; and to preserve the integrity of Spring Creek, 30 currently designated as a high-quality cold water fishery 20070S0740B2488 - 47 -

1 which requires the protection of the property's groundwater recharge value and its springs, wetlands and floodplains, 2 3 consistent with the master plan to be developed for the 4 property by Benner Township and the Department of 5 Conservation and Natural Resources. The covenant shall 6 provide that in the event a perpetual conservation easement 7 is not so conveyed and recorded within two years of the 8 effective date of the conveyance under subsection (a) or 9 completion of the master plan, whichever is longer, then the 10 property shall immediately revert to the Commonwealth of 11 Pennsylvania.

(e) Gaming facility restriction. -- Any conveyance authorized 12 13 under this section shall be made under and subject to the 14 condition, which shall be contained in the deed of conveyance, 15 that no portion of the property conveyed shall be used as a 16 licensed facility as defined in 4 Pa.C.S. § 1103 (relating to 17 definitions) or any other similar type of facility authorized 18 under State law. The condition shall be a covenant running with 19 the land and shall be binding upon the Grantee, its successors 20 and assigns. Should the Grantee, its successors or assigns, 21 permit any portion of the property authorized to be conveyed in 22 this section to be used in violation of this subsection, the 23 title shall immediately revert to and revest in the Grantor.

(f) Execution.--The deed of conveyance shall be by Special
Warranty Deed and shall be executed by the Secretary of General
Services in the name of the Commonwealth.

27 (g) Costs and fees.--Costs and fees incidental to this28 conveyance shall be borne by the Grantee.

29 (h) Nonconveyance.--In the event that this conveyance is not 30 executed within 12 months of the effective date of this section, 20070S0740B2488 - 48 - 1 the authority contained in this section shall expire.

2 Section 5. Conveyance to the Pennsylvania Fish and Boat

3 Commission in Benner Township, Centre County,4 Pennsylvania.

5 (a) Authorization. -- The Department of General Services, with the approval of the Governor, is hereby authorized on behalf of 6 7 the Commonwealth of Pennsylvania to grant and convey to the Pennsylvania Fish and Boat Commission certain land and 8 9 improvements situate in Benner Township, Centre County for \$1. 10 (b) Description. -- The property to be conveyed pursuant to 11 subsection (a) consists of three parcels totaling 59.2415 acres 12 and improvements thereon bounded and more particularly described 13 as follows:

14

### PARCEL 7

15 ALL THAT CERTAIN PARCEL or tract of land situated in Benner 16 Township, Centre County, Pennsylvania, shown as "Parcel 7" on 17 plans prepared by Sweetland Engineering and Associates, Inc. 18 entitled "Proposed Plan for Disposition of Commonwealth Real 19 Property at the State Correctional Institution at Rockview", 20 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and 21 as shown on the attached "Parcel Exhibit Plan", drawing number 22 A-1445, being more fully bounded and described as follows: BEGINNING at point number 809 in the centerline of Rock Road T-23 24 376 at the common southwestern corner of Parcel 17 and the 25 northwestern corner of the herein described parcel; 26 THENCE along Parcel 17 points 809 through 807 in reverse order 27 and 781, along Parcel 6.2 points 781 to 695 in reverse order, along Parcel 18 points 695 to 688 to 689 to 671, along Parcel 28 6.1 points 671 to 640 in reverse order, and concluding along the 29 30 centerline of Rock Road T-376 points 640 to 809, the following 20070S0740B2488 - 49 -

1 courses expressed in units of the Pennsylvania State Plane

2 Coordinate System, North American Datum of 1983, United States

3 Survey Feet:

4	Line	809-808:	S	80-24-26	Ε	Length:	16.50
5	Line	808-807:	Ν	78-09-51	Ε	Length:	177.20
6	Line	807-781:	Ν	31-29-51	Ε	Length:	70.70
7	Line	781-780:	S	48-33-33	Ε	Length:	55.74
8	Line	780-779:	Ν	58-43-41	Ε	Length:	8.40
9	Line	779-778:	Ν	57-32-59	Ε	Length:	24.67
10	Line	778-777:	Ν	51-44-08	Ε	Length:	48.89
11	Line	777-776:	Ν	42-53-47	Ε	Length:	60.90
12	Line	776-775:	Ν	35-07-40	Ε	Length:	65.13
13	Line	775-774:	Ν	26-10-43	Ε	Length:	66.46
14	Line	774-773:	Ν	22-11-01	Ε	Length:	76.59
15	Line	773-772:	Ν	08-44-33	Ε	Length:	67.77
16	Line	772-771:	Ν	03-55-48	W	Length:	92.83
17	Line	771-770:	Ν	12-13-36	W	Length:	70.92
18	Line	770-769:	Ν	19-46-52	W	Length:	74.92
19	Line	769-768:	Ν	23-51-35	W	Length:	96.24
20	Line	768-767:	Ν	27-47-08	W	Length:	86.01
21	Line	767-766:	Ν	32-23-18	W	Length:	108.10
22	Line	766-765:	Ν	38-21-37	W	Length:	178.50
23	Line	765-764:	Ν	39-44-53	W	Length:	45.12
24	Line	764-763:	Ν	42-17-42	W	Length:	42.42
25	Line	763-762:	Ν	45-49-37	W	Length:	39.49
26	Line	762-761:	Ν	49-09-11	W	Length:	30.34
27	Line	761-760:	Ν	49-22-41	W	Length:	88.82
28	Line	760-759:	Ν	46-34-31	W	Length:	43.16
29	Line	759-758:	Ν	35-20-52	W	Length:	38.90
30	Line	758-757:	Ν	24-53-31	W	Length:	78.19
200	70S074	0B2488				- 50 -	

1	Line	757_756.	NT	20-15-56	TAT	Length:	65 91
						-	
2	Line	756-755:			W	Length:	29.17
3	Line	755-754:	Ν	05-30-16	W	Length:	100.27
4	Line	754-753:	Ν	00-12-01	W	Length:	123.93
5	Line	753-752:	Ν	02-08-55	W	Length:	42.49
6	Line	752-751:	Ν	04-16-42	W	Length:	72.61
7	Line	751-750:	Ν	02-57-39	Е	Length:	41.29
8	Line	750-749:	Ν	11-14-57	Ε	Length:	36.46
9	Line	749-748:	Ν	18-26-06	Ε	Length:	28.96
10	Line	748-747:	Ν	27-10-11	Е	Length:	19.31
11	Line	747-746:	Ν	32-19-11	Е	Length:	25.21
12	Line	746-745:	Ν	39-02-49	Е	Length:	26.95
13	Line	745-744:	Ν	44-11-58	Е	Length:	49.91
14	Line	744-743:	Ν	50-58-41	Е	Length:	29.76
15	Line	743-742:	Ν	54-49-10	Е	Length:	74.58
16	Line	742-741:	Ν	57-55-27	Е	Length:	54.32
17	Line	741-740:	Ν	60-49-07	Ε	Length:	38.03
18	Line	740-739:	Ν	62-01-57	Е	Length:	86.71
19	Line	739-738:	Ν	64-30-56	Е	Length:	128.43
20	Line	738-737:	Ν	68-02-11	Е	Length:	65.91
21	Line	737-736:	Ν	71-53-06	Е	Length:	80.32
22	Line	736-735:	Ν	72-29-39	Е	Length:	51.90
23	Line	735-734:	Ν	80-15-59	Е	Length:	266.00
24	Line	734-733:	Ν	80-33-36	Е	Length:	34.29
25	Line	733-732:	Ν	77-19-11	Е	Length:	20.14
26	Line	732-731:	Ν	74-44-57	Е	Length:	92.33
27	Line	731-730:	Ν	75-06-42	Е	Length:	148.33
28	Line	730-729:	Ν	75-24-54	Е	Length:	139.06
29	Line	729-728:	Ν	73-55-26	Е	Length:	21.30
30	Line	728-727:	Ν	72-08-14	Е	Length:	36.71
200	70S074	OB2488				- 51 -	

1	Line	727-726:	Ν	67-14-47	Ε	Length:	51.87
2	Line	726-725:	Ν	66-36-09	Ε	Length:	76.63
3	Line	725-724:	Ν	66-12-57	Ε	Length:	416.71
4	Line	724-723:	Ν	79-13-55	Ε	Length:	148.20
5	Line	723-722:	Ν	83-57-43	Е	Length:	59.93
6	Line	722-721:	Ν	89-21-05	Е	Length:	120.16
7	Line	721-720:	S	87-21-35	Е	Length:	59.47
8	Line	720-719:	S	83-47-10	Е	Length:	70.95
9	Line	719-718:	S	83-41-40	Ε	Length:	89.62
10	Line	718-717:	S	83-51-07	Е	Length:	90.06
11	Line	717-716:	S	84-20-04	Е	Length:	59.85
12	Line	716-715:	S	80-14-41	Ε	Length:	90.56
13	Line	715-714:	S	77-23-50	Е	Length:	59.59
14	Line	714-713:	S	74-59-37	Е	Length:	39.80
15	Line	713-712:	S	72-51-31	Е	Length:	30.13
16	Line	712-711:	S	66-12-00	Е	Length:	30.43
17	Line	711-710:	S	57-22-42	Е	Length:	30.01
18	Line	710-709:	S	50-28-46	Е	Length:	29.93
19	Line	709-708:	S	52-29-34	Е	Length:	20.10
20	Line	708-707:	S	59-20-25	Е	Length:	19.59
21	Line	707-706:	S	67-59-59	Е	Length:	19.91
22	Line	706-705:	S	72-21-52	Е	Length:	20.01
23	Line	705-704:	S	75-21-48	Е	Length:	30.04
24	Line	704-703:	S	75-25-28	Е	Length:	129.83
25	Line	703-702:	S	77-04-07	Е	Length:	19.99
26	Line	702-701:	S	82-26-15	Е	Length:	30.00
27	Line	701-700:	S	84-04-37	Е	Length:	79.72
28	Line	700-699:	S	84-33-25	Е	Length:	19.71
29	Line	699-698:	S	84-50-46	Е	Length:	20.12
30	Line	698-697:	S	88-39-21	Е	Length:	28.48
200	70S0740	)B2488				- 52 -	

- 52 -

1 Line 697-696: N 89-12-31 E Length: 28.47 2 Line 696-695: N 87-37-15 E Length: 42.37 3 Curve 695-688: Length: 55.47 Radius: 175.00 Tangent: 27.97 4 Delta: 18-09-42 5 Chord: 55.24 Course: S 14-00-48 W Line 688-689: S 23-05-39 W Length: 18.25 6 Curve 689-671: Length: 17.25 Radius: 225.00 7 8 Delta: -4-23-37 Tangent: 8.63 Course: S 20-53-51 W Chord: 17.25 9 10 Line 671-670: N 85-56-35 W Length: 540.85 11 Curve 670-669: Length: 89.32 Radius: 1025.00 Delta: 4-59-34 12 Tangent: 44.69 13 Chord: 89.29 Course: N 83-26-48 W 14 Curve 669-668: Length: 143.44 Radius: 975.00 Delta: -8-25-45 15 Tangent: 71.85 16 Chord: 143.31 Course: N 85-09-53 W Line 668-667: N 89-22-45 W Length: 178.10 17 18 Curve 667-666: Length: 335.29 Radius: 1975.00 Tangent: 168.05 Delta: -9-43-37 19 20 Chord: 334.89 Course: S 85-45-26 W 21 Line 666-665: S 80-53-38 W Length: 157.53 22 Line 665-664: S 74-38-37 W Length: 65.10 23 Line 664-663: N 81-14-59 W Length: 34.02 24 Line 663-662: S 72-49-14 W Length: 48.70 25 Line 662-661: S 69-10-11 W Length: 19.46 26 Line 661-660: S 67-30-33 W Length: 80.15 27 Line 660-659: S 49-35-35 W Length: 32.00 28 Line 659-658: S 03-17-22 E Length: 28.00 29 Line 658-657: S 57-57-44 W Length: 32.17 30 Line 657-656: S 67-11-58 W Length: 190.34 20070S0740B2488 - 53 -

1 Line 656-655: S 24-16-12 E Length: 82.89 2 Line 655-654: S 63-46-07 W Length: 355.28 3 Line 654-653: S 70-04-02 W Length: 383.38 4 Line 653-652: S 59-33-23 W Length: 407.20 5 Line 652-651: N 26-41-31 W Length: 145.64 6 Line 651-650: S 50-51-19 W Length: 88.74 7 Curve 650-649: Length: 224.73 Radius: 650.00 8 Delta: -19-48-35 Tangent: 113.50 Chord: 223.62 Course: S 13-05-36 W 9 10 Line 649-648: S 03-11-18 W Length: 34.59 11 Curve 648-647: Length: 288.60 Radius: 400.00 12 Delta: -41-20-20 Tangent: 150.90 13 Chord: 282.38 Course: S 17-28-52 E 14 Line 647-646: S 38-09-01 E Length: 256.97 15 Curve 646-645: Length: 394.08 Radius: 1025.00 16 Delta: 22-01-43 Tangent: 199.51 Chord: 391.66 Course: S 27-08-10 E 17 18 Curve 645-644: Length: 562.61 Radius: 525.00 Tangent: 311.73 19 Delta: 61-24-02 20 Chord: 536.07 Course: S 14-34-43 W 21 Line 644-643: S 45-16-43 W Length: 168.91 22 Curve 643-642: Length: 147.84 Radius: 175.00 23 Delta: 48-24-07 Tangent: 78.65 Chord: 143.48 24 Course: S 69-28-47 W 25 Line 642-641: N 86-19-10 W Length: 190.73 26 Line 641-640: N 35-59-58 W Length: 16.50 27 Curve 640-809: Length: 95.60 Radius: 125.00 28 Delta: -43-49-13 Tangent: 50.28 Chord: 93.29 Course: N 31-30-10 E 29 30 CONTAINING: 1,259,789 sq.ft. or 28.9208 acres of land, gross 20070S0740B2488 - 54 -

1

2

area, be the same more or less.

## PARCEL 14

ALL THAT CERTAIN PARCEL or tract of land situated in Benner 3 4 Township, Centre County, Pennsylvania, shown as "Parcel 14" on 5 plans prepared by Sweetland Engineering and Associates, Inc. entitled "Proposed Plan for Disposition of Commonwealth Real 6 7 Property at the State Correctional Institution at Rockview", 8 drawing numbers E-3179 through E-3184, dated 23 May, 2006, and as shown on the attached "Parcel Exhibit Plan", drawing number 9 10 A-1452, being more fully bounded and described as follows: 11 BEGINNING at point 92 at the common southern corner of lands now or formerly of the Pennsylvania Fish and Boat Commission being a 12 13 northern portion of U.P.I. No. 12-003-117, the southern corner 14 of lands now or formerly of Richard J. Lorenzo U.P.I. No. 12-15 003-121B, the northwestern corner of lands now or formerly of 16 Harry J. Foulkrod U.P.I. No. 12-003-121, a northeastern corner 17 of Parcel 2 and an eastern corner of the herein described 18 parcel;

19 THENCE along Parcel 2 points 92 to 537 through 527 in reverse 20 order, along lands now or formerly of the Pennsylvania Fish and 21 Boat Commission U.P.I. No. 12-003-128 points 65 through 80, 22 along other lands now or formerly of the Pennsylvania Fish and Boat Commission being a southern portion of U.P.I. No. 12-003-23 24 117 points 80 through 91 and concluding along lands now or 25 formerly of the Pennsylvania Fish and Boat Commission being a 26 northern portion of U.P.I. No. 12-003-117 points 91 to 92, the 27 following courses expressed in units of the Pennsylvania State 28 Plane Coordinate System, North American Datum of 1983, United 29 States Survey Feet:

 30
 Line
 92-537:
 S
 32-17-55
 E
 Length:
 263.05

 20070S0740B2488
 55

1	Line	537-536:	S	15-32-46	Е	Length:	176.33
2	Line	536-535:	S	10-47-15	W	Length:	163.47
3	Line	535-534:	S	11-25-08	W	Length:	143.11
4	Line	534-533:	S	09-33-56	W	Length:	293.04
5	Line	533-532:	S	08-10-09	W	Length:	104.69
6	Line	532-531:	S	78-20-36	W	Length:	249.26
7	Line	531-530:	S	47-00-19	W	Length:	144.88
8	Line	530-529:	S	73-37-17	W	Length:	411.21
9	Line	529-528:	Ν	60-16-51	W	Length:	291.70
10	Line	528-527:	Ν	47-46-09	W	Length:	380.21
11	Line	527-65:	Ν	29-13-00	Ε	Length:	76.75
12	Line	65-66:	Ν	35-01-00	W	Length:	132.00
13	Line	66-67:	Ν	44-14-00	Ε	Length:	112.20
14	Line	67-68:	Ν	44-41-00	W	Length:	429.00
15	Line	68-69:	S	61-14-00	W	Length:	198.00
16	Line	69-70:	Ν	69-01-00	W	Length:	47.85
17	Line	70-71:	Ν	87-31-00	W	Length:	85.80
18	Line	71-72:	S	77-29-00	W	Length:	75.90
19	Line	72-73:	S	63-09-44	W	Length:	68.80
20	Line	73-74:	Ν	61-19-51	W	Length:	85.80
21	Line	74-75:	Ν	01-54-51	W	Length:	173.25
22	Line	75-76:	Ν	42-50-09	Е	Length:	84.15
23	Line	76-77:	Ν	68-50-09	Ε	Length:	193.05
24	Line	77-78:	S	82-54-51	Е	Length:	277.20
25	Line	78-79:	S	55-49-51	Е	Length:	181.50
26	Line	79-80:	S	39-09-51	Е	Length:	174.90
27	Line	80-81:	S	38-50-43	Ε	Length:	323.09
28	Line	81-82:	S	41-10-03	Е	Length:	218.21
29	Line	82-83:	S	53-47-45	Ε	Length:	165.00
30	Line	83-84:	S	74-32-45	Ε	Length:	82.50
200	7050740	)B2488			-	- 56 -	

20070S0740B2488

1	Line 84-85: N 80-42-15 E Length: 184.80								
2	Line 85-86: N 27-03-45 E Length: 734.60								
3	Line 86-87: N 31-57-45 W Length: 108.90								
4	Line 87-88: N 44-02-45 W Length: 188.10								
5	Line 88-89: N 55-32-45 W Length: 120.45								
6	Line 89-90: N 62-36-06 W Length: 675.99								
7	Line 90-91: N 50-27-37 W Length: 209.00								
8	Line 91-92: S 69-22-38 E Length: 1278.90								
9	CONTAINING: 1,129,990 sq.ft. or 25.9410 acres of land, gross								
10	area, be the same more or less.								
11	PARCEL 15								
12	ALL THAT CERTAIN PARCEL or tract of land situated in Benner								
13	Township, Centre County, Pennsylvania, shown as "Parcel 15" on								
14	plans prepared by Sweetland Engineering and Associates, Inc.								
15	entitled "Proposed Plan for Disposition of Commonwealth Real								
16	Property at the State Correctional Institution at Rockview",								
17	drawing numbers E-3179 through E-3184, dated 23 May, 2006, and								
18	as shown on the attached "Parcel Exhibit Plan", drawing number								
19	A-1453, being more fully bounded and described as follows:								
20	BEGINNING at point number 63 at the common southeastern corner								
21	of lands now or formerly of the Pennsylvania Fish and Boat								
22	Commission U.P.I. No. 12-003-117, a western corner of Parcel 2,								
23	a northeastern corner of Parcel 6.2 and the northeastern corner								
24	of the herein described parcel;								
25	THENCE along Parcel 6.2 points 63 to 570 through 592 to 61,								
26	along lands now or formerly of the Pennsylvania Fish and Boat								
27	Commission U.P.I. No. 12-003-117 points 61 through 63, the								

28 following courses expressed in units of the Pennsylvania State
29 Plane Coordinate System, North American Datum of 1983, United
30 States Survey Feet:

20070S0740B2488

- 57 -

1	Line	63-570:	S	11-32-09	Е	Length:	462.09
2	Line	570-571:	S	11-11-35	W	Length:	122.33
3	Line	571-572:	S	23-31-50	W	Length:	61.33
4	Line	572-573:	S	62-33-43	W	Length:	134.05
5	Line	573-574:	S	74-06-26	W	Length:	126.76
6	Line	574-575:	S	75-13-08	W	Length:	118.37
7	Line	575-576:	S	76-24-41	W	Length:	205.14
8	Line	576-577:	S	77-55-55	W	Length:	151.34
9	Line	577-578:	S	74-44-21	W	Length:	96.40
10	Line	578-579:	Ν	15-15-39	W	Length:	125.00
11	Line	579-580:	Ν	74-44-21	Е	Length:	99.88
12	Line	580-581:	Ν	77-55-55	Е	Length:	153.16
13	Line	581-582:	Ν	76-24-41	Е	Length:	202.18
14	Line	582-583:	Ν	75-13-08	Е	Length:	115.85
15	Line	583-584:	Ν	74-06-26	Е	Length:	112.91
16	Line	584-585:	Ν	62-33-43	Е	Length:	77.11
17	Line	585-586:	Ν	23-31-50	Е	Length:	3.51
18	Line	586-587:	Ν	11-11-35	Ε	Length:	75.95
19	Line	587-588:	Ν	20-40-38	W	Length:	71.75
20	Line	588-589:	Ν	32-03-06	W	Length:	41.87
21	Line	589-590:	Ν	43-01-16	W	Length:	46.79
22	Line	590-591:	Ν	64-55-16	W	Length:	58.49
23	Line	591-592:	Ν	70-06-23	W	Length:	23.34
24	Line	592-61:	Ν	76-04-56	W	Length:	186.23
25	Line	61-62:	Ν	81-23-13	Е	Length:	202.95
26	Line	62-63:	Ν	38-23-13	Е	Length:	275.55
27	CONTA	INING: 19	0,'	781 sq.ft	. 01	r 4.3797	acres of land, gross area,
28	be th	e same mo	re	or less.			
29	( c	) Easeme	nt:	sThe co	onve	eyance sł	nall be made under and
30	subje	ct to all	la	awful and	en	forceable	e easements, servitudes and
		0-0400				50	

20070S0740B2488

rights of others, including but not confined to streets,
 roadways and rights of any telephone, telegraph, water,
 electric, gas or pipeline companies, as well as under and
 subject to any lawful and enforceable estates or tenancies
 vested in third persons appearing of record, for any portion of
 the land or improvements erected thereon.

7 Land use restriction. -- The deed of conveyance shall (d) contain the following restrictive covenant: "Under and subject 8 9 to a condition that the land conveyed herein shall be used 10 solely by the Pennsylvania Fish and Boat Commission to carry out 11 their legislatively mandated functions and for no other purpose. Should the Grantee attempt to convey the property, or utilize it 12 13 for any other purpose, the property shall immediately revert to the Grantor." 14

(e) Execution.--The deed of conveyance shall be by Special
Warranty Deed and shall be executed by the Secretary of General
Services in the name of the Commonwealth of Pennsylvania.

18 (f) Costs and fees.--Costs and fees incidental to this19 conveyance shall be borne by the Grantee.

20 (g) Nonconveyance.--In the event that this conveyance is not 21 executed within 12 months of the effective date of this section, 22 the authority contained in this section shall expire.

<-

<-----

23 Section 6. Reservation and grant of easements.

(H) RESERVATION AND GRANT OF EASEMENTS. -- To effectuate this 24 25 act, the Department of General Services is hereby authorized, on 26 behalf of the Commonwealth of Pennsylvania, to reserve or grant 27 any such easements on the property known as the State 28 Correctional Institution at Rockview as the Secretary of the 29 Department of General Services shall determine are appropriate 30 or desirable, including, without limitation, for access and 20070S0740B2488 - 59 -

1 utility service.

2 Section 7 5.1. Costs and fees.

All costs and fees incurred by the Department of General Services in selling the property described in sections 1, 2, 3, 4 and 5 shall be deducted from the purchase price and transferred to the appropriation from which the costs and fees were paid by the Department of General Services. The balance of the proceeds of the sales shall be deposited in the General Fund. <-----

<-----

SECTION 6. CONVEYANCES IN BENNER TOWNSHIP, CENTRE COUNTY,
 PENNSYLVANIA.

12 (A) AUTHORIZATION.--THE DEPARTMENT OF GENERAL SERVICES, WITH 13 THE APPROVAL OF THE GOVERNOR, IS HEREBY AUTHORIZED ON BEHALF OF 14 THE COMMONWEALTH OF PENNSYLVANIA TO GRANT AND CONVEY TO THE 15 CENTRE COUNTY INDUSTRIAL DEVELOPMENT CORPORATION CERTAIN LANDS, 16 BEING A PORTION OF THE ROCKVIEW STATE CORRECTIONAL INSTITUTION, SITUATE IN BENNER TOWNSHIP, CENTRE COUNTY IN EXCHANGE FOR CENTRE 17 18 COUNTY INDUSTRIAL DEVELOPMENT CORPORATION CONVEYING CERTAIN LANDS TO THE COMMONWEALTH OF PENNSYLVANIA, ACTING BY AND THROUGH 19 20 THE DEPARTMENT OF GENERAL SERVICES, FOR THE PURPOSE OF ADDING 21 THE SAME TO THE EXISTING LANDS OF THE ROCKVIEW STATE 22 CORRECTIONAL INSTITUTION.

(B) DESCRIPTION FOR CONVEYANCE TO DEVELOPMENT CORPORATION.-THE PROPERTY TO BE CONVEYED TO THE CENTRE COUNTY INDUSTRIAL
DEVELOPMENT CORPORATION, PURSUANT TO SUBSECTION (A), CONSISTS OF
0.348-ACRES AND ANY IMPROVEMENTS THEREON BOUNDED AND MORE
PARTICULARLY DESCRIBED AS FOLLOWS:

ALL THAT CERTAIN TRACT OF LAND SITUATED IN BENNER TOWNSHIP,
 CENTRE COUNTY, PA, BEING A LOT ADDITION, AS SHOWN ON A PLAN
 ENTITLED, "BENNER COMMERCE PARK, CONSOLIDATION AND SUBDIVISION
 20070S0740B2488 - 60 -

1 PLAN, FINAL PLAN-BENNER COMMERCE PARK, LOT CONSOLIDATION AND 2 SUBDIVISION PLAN, LEGAL EXHIBIT BLOW UP" DATED AUGUST 29, 2008, BY PENNTERRA ENGINEERING, INC., STATE COLLEGE, PA, BEING BOUNDED 3 4 AND DESCRIBED AS FOLLOWS:

5 BEGINNING AT A POINT, LYING IN A SOUTHERLY R/W LINE OF RISHEL HILL ROAD (T-532, 70'R/W) AND LYING IN A NORTHERLY R/W LINE OF 6 7 PROPOSED VENTURE DRIVE (60'R/W); THENCE TRAVERSING THROUGH PROPOSED VENTURE DRIVE, S31 DEGREES 54 MINUTES 58 SECONDS E, 8 9 26.86 FEET TO A POINT, LYING IN AN EASTERLY LINE OF SAID R/W AND 10 BEING A WESTERLY CORNER OF LOT 4A; THENCE ALONG SAID LOT, ALONG A CURVE TO THE LEFT, HAVING A CHORD BEARING OF S17 DEGREES 50 11 12 MINUTES 26 SECONDS E, A CHORD DISTANCE OF 26.48 FEET, A RADIUS 13 OF 50.00 FEET AND AN ARC LENGTH OF 26.80 FEET TO A POINT; THENCE 14 CONTINUING ALONG SAID LOT, ALONG A CURVE TO THE LEFT, HAVING A 15 CHORD BEARING OF S37 DEGREES 20 MINUTES 52 SECONDS E, A CHORD 16 DISTANCE OF 68.04 FEET, A RADIUS OF 470.00 FEET AND AN ARC 17 LENGTH OF 68.10 FEET TO A POINT, LYING IN A WESTERLY LINE OF 18 SAID LOT AND IN AN EASTERLY R/W LINE OF PROPOSED VENTURE DRIVE 19 (60'R/W); THENCE TRAVERSING THROUGH SAID R/W, S31 DEGREES 54 20 MINUTES 58 SECONDS E, 146.16 FEET TO A POINT; THENCE CONTINUING 21 THROUGH SAID R/W, S25 DEGREES 53 MINUTES 10 SECONDS E, 62.33 22 FEET TO A POINT, LYING IN A WESTERLY LINE OF PROPOSED VENTURE DRIVE AND BEING AN EASTERLY CORNER OF LOT NO 4B; THENCE ALONG 23 24 SAID LOT, THE FOLLOWING BEARINGS AND DISTANCES: N47 DEGREES 38 25 MINUTES 06 SECONDS W, 148.46 FEET TO AN IRON PIN; THENCE ALONG A 26 CURVE TO THE RIGHT, HAVING A CHORD BEARING OF N39 DEGREES 13 27 MINUTES 08 SECONDS W, A CHORD DISTANCE OF 154.92 FEET, A RADIUS 28 OF 530.00 FEET AND AN ARC LENGTH OF 155.48 FEET TO AN IRON PIN; 29 THENCE ALONG A CURVE TO THE LEFT, HAVING A CHORD BEARING OF N68 30 DEGREES 52 MINUTES 58 SECONDS W, A CHORD DISTANCE OF 61.66 FEET, 20070S0740B2488

- 61 -

A RADIUS OF 50.00 FEET AND AN ARC LENGTH OF 66.44 FEET TO AN
 IRON PIN, BEING A NORTHERLY CORNER OF LOT NO 4B AND LYING IN A
 SOUTHERLY R/W LINE OF RISHEL HILL ROAD (T-532, 70'R/W); THENCE
 ALONG SAID R/W, ALONG A CURVE TO THE LEFT, HAVING A CHORD
 BEARING OF N67 DEGREES 37 MINUTES 48 SECONDS E, A CHORD DISTANCE
 OF 104.99 FEET, A RADIUS OF 555.87 FEET AND AN ARC LENGTH OF
 105.15 FEET TO A POINT, BEING THE PLACE OF BEGINNING.

8 CONTAINING 0.348-ACRES.

9 (C) DESCRIPTION FOR CONVEYANCE TO COMMONWEALTH.--THE 10 PROPERTY TO BE CONVEYED TO THE COMMONWEALTH OF PENNSYLVANIA, 11 ACTING BY AND THROUGH THE DEPARTMENT OF GENERAL SERVICES, BY THE 12 CENTRE COUNTY INDUSTRIAL DEVELOPMENT CORPORATION, PURSUANT TO 13 SUBSECTION (A) CONSISTS OF TWO TRACTS OF LAND TOTALING 0.761-14 ACRES AND ANY IMPROVEMENTS THEREON BOUNDED AND MORE PARTICULARLY 15 DESCRIBED AS FOLLOWS:

16

### TRACT 1

17 ALL THAT CERTAIN TRACT OF LAND SITUATED IN BENNER TOWNSHIP, 18 CENTRE COUNTY, PA, BEING A LOT ADDITION TO LOT 4A, AS SHOWN ON A PLAN ENTITLED, "BENNER COMMERCE PARK, LEGAL EXHIBIT, LAYOUT 19 20 PLAN" DATED AUGUST 21, 2008, BY PENNTERRA ENGINEERING, INC., 21 STATE COLLEGE, PA, BEING BOUNDED AND DESCRIBED AS FOLLOWS: 22 BEGINNING AT A POINT, LYING IN A SOUTHERLY R/W LINE OF RISHEL HILL ROAD (T-532, 70'R/W) AND LYING IN A NORTHERLY LINE OF TAX 23 24 PARCEL 12-3-215 (LOT 4A); THENCE TRAVERSING THROUGH SAID LOT, 25 S31 DEGREES 54 MINUTES 58 SECONDS E, 266.44 FEET TO A POINT; 26 THENCE S37 DEGREES 49 MINUTES 20 SECONDS E, 291.79 FEET TO A 27 POINT, LYING IN A SOUTHERLY LINE OF SAID TAX PARCEL AND IN A 28 NORTHERLY R/W LINE OF U.S. 0220/FUTURE I-99 (VARIABLE R/W); 29 THENCE ALONG SAID R/W, ALONG A CURVE TO THE RIGHT, HAVING A 30 CHORD BEARING OF S60 DEGREES 15 MINUTES 52 SECONDS W, A CHORD 20070S0740B2488 - 62 -

DISTANCE OF 38.21 FEET, A RADIUS OF 11379.16 AND AN ARC LENGTH 1 2 OF 38.21 FEET TO AN IRON PIN, LYING IN A NORTHERLY LINE OF SAID 3 R/W AND BEING AN EASTERLY CORNER OF PROPOSED VENTURE DRIVE (60' 4 R/W); THENCE ALONG SAID R/W, THE FOLLOWING BEARINGS AND 5 DISTANCES: N31 DEGREES 32 MINUTES 58 SECONDS W, 93.00 FEET TO AN IRON PIN; THENCE ALONG A CURVE TO THE LEFT, HAVING A CHORD 6 7 BEARING OF N39 DEGREES 41 MINUTES 44 SECONDS W, A CHORD DISTANCE OF 146.42 FEET, A RADIUS OF 530.00 FEET AND AN ARC LENGTH OF 8 9 146.89 FEET TO AN IRON PIN; THENCE N47 DEGREES 38 MINUTES 06 10 SECONDS W, 153.64 FEET TO AN IRON PIN; THENCE ALONG A CURVE TO 11 THE RIGHT, HAVING A CHORD BEARING OF N44 DEGREES 33 MINUTES 39 SECONDS W, A CHORD DISTANCE OF 50.21 FEET, A RADIUS OF 470.00 12 13 FEET AND AN ARC LENGTH OF 50.23 FEET TO AN IRON PIN, LYING IN AN 14 EASTERLY LINE OF SAID R/W AND IN A WESTERLY LINE OF LOT 4A; 15 THENCE TRAVERSING THROUGH LOT 4A N31 DEGREES 54 MINUTES 58 16 SECONDS W, 93.42 FEET TO A POINT, BEING A WESTERLY CORNER OF 17 SAID LOT AND LYING IN AN EASTERLY R/W LINE OF PROPOSED VENTURE 18 DRIVE (60'R/W); THENCE ALONG SAID R/W, ALONG A CURVE TO THE 19 RIGHT, HAVING A CHORD BEARING OF N27 DEGREES 37 MINUTES 57 20 SECONDS E, A CHORD DISTANCE OF 50.18 FEET, A RADIUS OF 50.00 21 FEET AND AN ARC LENGTH OF 52.56 FEET TO AN IRON PIN, BEING AN 22 EASTERLY CORNER OF SAID R/W AND LYING IN A SOUTHERLY R/W LINE OF RISHEL HILL ROAD (T-532, 70' R/W); THENCE ALONG RISHEL HILL 23 24 ROAD, ALONG A CURVE TO THE LEFT, HAVING A CHORD BEARING OF N55 25 DEGREES 51 MINUTES 12 SECONDS E, A CHORD DISTANCE OF 36.77 FEET, 26 A RADIUS OF 555.87 FEET AND AN ARC LENGTH OF 36.78 FEET TO A 27 POINT, BEING THE PLACE OF BEGINNING.

28 CONTAINING 0.623-ACRES.

29

# TRACT 2

30 ALL THAT CERTAIN TRACT OF LAND SITUATED IN BENNER TOWNSHIP, 20070S0740B2488 - 63 - CENTRE COUNTY, PA, BEING A LOT ADDITION, AS SHOWN ON A PLAN
 ENTITLED, "BENNER COMMERCE PARK, CONSOLIDATION AND SUBDIVISION
 PLAN, FINAL PLAN-BENNER COMMERCE PARK, LOT CONSOLIDATION AND
 SUBDIVISION PLAN, LEGAL EXHIBIT BLOW UP" DATED AUGUST 29, 2008,
 BY PENNTERRA ENGINEERING, INC., STATE COLLEGE, PA, BEING BOUNDED
 AND DESCRIBED AS FOLLOWS:

7 BEGINNING AT A POINT, BEING AN EASTERLY CORNER OF FORMER LOT 4B AND LYING IN A WESTERLY LINE OF THE NORTHERLY PORTION OF LOT 8 9 5B; THENCE ALONG LOT 5B, S47 DEGREES 38 MINUTES 06 SECONDS E, 10 5.18 FEET TO AN IRON PIN; THENCE CONTINUING ALONG SAID LOT, ALONG A CURVE TO THE RIGHT, HAVING A CHORD BEARING OF S39 11 12 DEGREES 41 MINUTES 44 SECONDS E, A CHORD DISTANCE OF 129.84 13 FEET, A RADIUS OF 470.00 FEET AND AN ARC LENGTH OF 130.26 FEET 14 TO A POINT; THENCE CONTINUING ALONG SAID LOT S31 DEGREES 32 15 MINUTES 25 SECONDS E, 90.58 FEET TO AN IRON PIN, BEING A 16 SOUTHERLY CORNER OF SAID LOT AND LYING IN A NORTHERLY LINE OF 17 U.S. 0220/FUTURE I-99 (VARIABLE R/W); THENCE ALONG SAID R/W, 18 ALONG A CURVE TO THE RIGHT, HAVING A CHORD BEARING OF S60 DEGREES 43 MINUTES 29 SECONDS W, A CHORD DISTANCE OF 41.91 FEET, 19 20 A RADIUS OF 11379.16 AND AN ARC LENGTH OF 41.91 FEET TO AN IRON 21 PIN, LYING IN A NORTHERLY LINE OF SAID R/W AND BEING AN EASTERLY 22 CORNER OF LOT NO. 4B; THENCE ALONG SAID LOT N25 DEGREES 53 23 MINUTES 10 SECONDS W, 223.52 FEET TO A POINT, BEING THE PLACE OF 24 BEGINNING.

25 CONTAINING 0.138-ACRES.

(D) EASEMENTS.--THE CONVEYANCES SHALL BE MADE UNDER AND
SUBJECT TO ALL LAWFUL AND ENFORCEABLE EASEMENTS, SERVITUDES AND
RIGHTS OF OTHERS, INCLUDING BUT NOT CONFINED TO STREETS,
ROADWAYS AND RIGHTS OF ANY TELEPHONE, TELEGRAPH, WATER,
ELECTRIC, GAS OR PIPELINE COMPANIES, AS WELL AS UNDER AND
20070S0740B2488 - 64 -

SUBJECT TO ANY LAWFUL AND ENFORCEABLE ESTATES OR TENANCIES
 VESTED IN THIRD PERSONS APPEARING OF RECORD, FOR ANY PORTION OF
 THE LAND OR IMPROVEMENTS ERECTED THEREON.

4 (E) RESTRICTION. -- THE CONVEYANCE AUTHORIZED BY SUBSECTION 5 (B) OF THIS ACT SHALL BE MADE UNDER AND SUBJECT TO THE 6 CONDITION, WHICH SHALL BE CONTAINED IN THE DEED OF CONVEYANCE, 7 THAT NO PORTION OF THE PROPERTY CONVEYED SHALL BE USED AS A LICENSED FACILITY, AS DEFINED IN 4 PA.C.S. § 1103 (RELATING TO 8 9 DEFINITIONS), OR ANY OTHER SIMILAR TYPE OF FACILITY AUTHORIZED 10 UNDER STATE LAW. THE CONDITION SHALL BE A COVENANT RUNNING WITH 11 THE LAND AND SHALL BE BINDING UPON THE GRANTEE, AND ITS SUCCESSORS. SHOULD THE GRANTEE, OR ITS SUCCESSORS, PERMIT ANY 12 13 PORTION OF THE PROPERTY AUTHORIZED TO BE CONVEYED IN THIS ACT TO 14 BE USED IN VIOLATION OF THIS SUBSECTION, THE TITLE SHALL 15 IMMEDIATELY REVERT TO AND REVEST IN THE GRANTOR.

16 (F) EXECUTION.--THE DEEDS OF CONVEYANCE SHALL BE BY SPECIAL 17 WARRANTY DEED AND SHALL BE PROPERLY EXECUTED BY THE RESPECTIVE 18 ENTITIES.

19 (G) COSTS.--THE CENTRE COUNTY INDUSTRIAL DEVELOPMENT
20 CORPORATION SHALL BEAR ALL COSTS ASSOCIATED WITH THE LAND
21 CONVEYANCES AUTHORIZED BY THIS ACT.

(H) EXPIRATION. -- IN THE EVENT THAT THE CONVEYANCES ARE NOT
EXECUTED WITHIN ONE YEAR OF THE EFFECTIVE DATE OF THIS ACT, THE
AUTHORITY CONTAINED HEREIN SHALL EXPIRE.

25 SECTION 7. CONVEYANCE TO THE HIGHEST RESPONSIBLE BIDDER OF
 26 THREE PARCELS OF PROPERTY LOCATED IN BENNER
 27 TOWNSHIP, CENTRE COUNTY, PENNSYLVANIA.

(A) AUTHORIZATION.--THE DEPARTMENT OF GENERAL SERVICES, WITH
 THE APPROVAL OF THE GOVERNOR, IS HEREBY AUTHORIZED ON BEHALF OF
 THE COMMONWEALTH OF PENNSYLVANIA TO GRANT AND CONVEY, AT A PRICE
 20070S0740B2488 - 65 -

TO BE DETERMINED THROUGH COMPETITIVE BIDDING, THREE PARCELS OF
 LAND AND IMPROVEMENTS SITUATE IN BENNER TOWNSHIP, CENTRE COUNTY.
 THE PARCELS OF PROPERTY CONTAINED IN THIS SECTION MAY BE OFFERED
 FOR SALE EITHER TOGETHER OR SEPARATELY.

5 (B) DESCRIPTION.--THE PROPERTY TO BE CONVEYED PURSUANT TO 6 SUBSECTION (A) CONSISTS OF THREE PARCELS TOTALING 46.482-ACRES 7 AND IMPROVEMENTS THEREON BOUNDED AND MORE PARTICULARLY DESCRIBED 8 AS FOLLOWS:

9

## PARCEL 4.1

10 ALL THAT CERTAIN PARCEL OR TRACT OF LAND SITUATED IN BENNER 11 TOWNSHIP, CENTRE COUNTY, PENNSYLVANIA, SHOWN AS "PARCEL 4.1" ON 12 PLANS PREPARED BY SWEETLAND ENGINEERING AND ASSOCIATES, INC. 13 ENTITLED "PROPOSED PLAN FOR DISPOSITION OF COMMONWEALTH REAL 14 PROPERTY AT THE STATE CORRECTIONAL INSTITUTION AT ROCKVIEW", 15 DRAWING NUMBERS E-3179 THROUGH E-3184, DATED 23 MAY, 2006, AND 16 AS SHOWN ON THE ATTACHED "PARCEL EXHIBIT PLAN", DRAWING NUMBER 17 A-1440, BEING MORE FULLY BOUNDED AND DESCRIBED AS FOLLOWS: 18 BEGINNING AT POINT NUMBER 175 AT THE INTERSECTION OF THE EASTERN RIGHT-OF-WAY LINE OF THE BENNER PIKE, SR0150 WITH THE SOUTHERN 19 20 RIGHT-OF-WAY LINE OF RISHEL HILL ROAD, T-532 AND THE NORTHERN 21 CORNER OF THE HEREIN DESCRIBED PARCEL;

THENCE ALONG THE SOUTHERN RIGHT-OF-WAY LINE OF RISHEL HILL ROAD, T-532 POINTS 175 THROUGH 177, ALONG PARCEL 5 POINTS 177 THROUGH 179, ALONG THE NORTHERN RIGHT-OF-WAY LINE FOR LIMITED ACCESS OF SR6026 SECTION C03 POINTS 179 THROUGH 183, AND CONCLUDING ALONG THE EASTERN RIGHT-OF-WAY LINE OF THE BENNER PIKE SR0150 POINT 183 TO 175 THE FOLLOWING COURSES EXPRESSED IN UNITS OF THE PENNSYLVANIA STATE PLAN COORDINATE SYSTEM, NORTH AMERICAN DATUM OF 1983, UNITED STATES SURVEY FEET:

30 LINE 175-176: S 73-17-38 E LENGTH: 458.65

20070S0740B2488

- 66 -

CURVE 176-177: LENGTH: 431.68 RADIUS: 555.87 1 DELTA: -44-29-43 TANGENT: 227.39 2 3 CHORD: 420.92 COURSE: N 84-27-31 E 4 LINE 177-178: S 31-54-57 E LENGTH: 266.44 LINE 178-179: S 25-53-10 E LENGTH: 285.86 5 6 CURVE 179-180: LENGTH: 217.87 RADIUS: 11379.16 DELTA: 1-05-49 TANGENT: 108.94 7 8 CHORD: 217.87 COURSE: S 61-25-37 W LINE 180-181: S 61-58-32 W LENGTH: 478.19 9 10 CURVE 181-182: LENGTH: 147.26 RADIUS: 280.00 11 DELTA: 30-08-00 TANGENT: 75.38 CHORD: 145.57 COURSE: S 77-02-32 W 12 13 LINE 182-183: N 87-53-28 W LENGTH: 330.60 CURVE 183-175: LENGTH: 925.36 RADIUS: 6945.55 14 DELTA: -7-38-01 TANGENT: 463.37 15 CHORD: 924.68 COURSE: N 02-22-04 W 16 17 TO THE POINT OF BEGINNING. 18 CONTAINING: 728,894 SQ.FT. OR 16.7331 ACRES OF LAND, GROSS AREA, 19 BE THE SAME MORE OR LESS. 20 PARCEL 4.2 21 ALL THAT CERTAIN PARCEL OR TRACT OF LAND SITUATED IN BENNER 22 TOWNSHIP, CENTRE COUNTY, PENNSYLVANIA, SHOWN AS "PARCEL 4.2" ON 23 PLANS PREPARED BY SWEETLAND ENGINEERING AND ASSOCIATES, INC. 24 ENTITLED "PROPOSED PLAN FOR DISPOSITION OF COMMONWEALTH REAL 25 PROPERTY AT THE STATE CORRECTIONAL INSTITUTION AT ROCKVIEW", 26 DRAWING NUMBERS E-3179 THROUGH E-3184, DATED 23 MAY, 2006, AND 27 AS SHOWN ON THE ATTACHED "PARCEL EXHIBIT PLAN", DRAWING NUMBER 28 A-1441, BEING MORE FULLY BOUNDED AND DESCRIBED AS FOLLOWS: 29 BEGINNING AT POINT NUMBER 168 AT THE INTERSECTION OF THE 30 SOUTHERN RIGHT-OF-WAY LINE OF RISHEL HILL, ROAD T-532 WITH THE 20070S0740B2488 - 67 -

WESTERN LINE OF LANDS NOW OR FORMERLY OF ROGERS, U.P.I. NO.12 003-130, AT THE NORTHEASTERN CORNER OF THE HEREIN DESCRIBED
 PARCEL;

4 THENCE ALONG LANDS NOW OR FORMERLY OF ROGERS, U.P.I. NO.12-003-5 130 POINTS 168 TO 169, ALONG THE NORTHERN RIGHT-OF-WAY LINE FOR 6 LIMITED ACCESS OF SR6026 SECTION C03 POINTS 169 THROUGH 173, ALONG PARCEL 5 THE PROPOSED RIGHT-OF-WAY FROM RISHEL HILL ROAD 7 8 TO SR6026 POINTS 173 TO 174 TO 164, ALONG THE SOUTHERN RIGHT-OF-9 WAY LINE OF RISHEL HILL, ROAD T-532 POINTS 164 THROUGH 168, THE 10 FOLLOWING COURSES EXPRESSED IN UNITS OF THE PENNSYLVANIA STATE 11 PLANE COORDINATE SYSTEM, NORTH AMERICAN DATUM OF 1983, UNITED 12 STATE SURVEY FEET: 13 LINE 168-169: S 47-10-10 E LENGTH: 903.85 14 LINE 169-170: S 64-43-55 W LENGTH: 96.13 15 LINE 170-171: S 58-28-32 W LENGTH: 200.00 16 LINE 171-172: S 56-06-30 W LENGTH: 363.15 17 CURVE 172-173: LENGTH: 337.06 RADIUS: 11379.16 18 DELTA: 1-41-50 TANGENT: 168.54 CHORD: 337.05 COURSE: S 59-19-27 W 19 20 LINE 173-174: N 37-49-20 W LENGTH: 291.79 21 LINE 174-164: N 31-54-58 W LENGTH: 266.44 22 CURVE 164-165: LENGTH: 218.51 RADIUS:555.87 23 DELTA: -22-31-23 TANGENT: 110.69 CHORD: 217.11 COURSE: N 42-41-47 E 24 25 LINE 165-166: N 31-26-05 E LENGTH:140.94 26 LINE 166-167: N 20-07-30 E LENGTH: 50.99 27 CURVE 167-168: LENGTH: 441.52 RADIUS: 1980.79 28 DELTA: 12-46-16 TANGENT: 221.68 CHORD: 440.60 COURSE: N 37-22-01 E 29 30 TO THE POINT OF BEGINNING.

20070S0740B2488

- 68 -

CONTAINING: 656,835 SQ.FT. OR 15.0789 ACRES OF LAND, GROSS AREA,
 BE THE SAME MORE OR LESS.

3

#### PARCEL 19

4 ALL THAT CERTAIN PARCEL OF LAND SITUATED IN BENNER TOWNSHIP, 5 CENTRE COUNTY, PENNSYLVANIA SHOWN AS LOT 3 ON A PLAN PREPARED BY SWEETLAND ENGINEERING AND ASSOCIATES, INC. ENTITLED "4 LOT 6 7 SUBDIVISION OF LANDS OF THE COMMONWEALTH OF PENNSYLVANIA FOR CENTRE COUNTY CORRECTIONAL FACILITY", DRAWING NUMBERS E-2491 AND 8 9 E-2492 DATED 02/06/03, REVISED TO 03/31/03, AND RECORDED IN THE 10 RECORDER'S OFFICE OF CENTRE COUNTY IN PLAT BOOK VOLUME 68 AT PAGES 126 AND 127 ON 06/05/03, BEING PART OF LANDS NOW OR 11 12 FORMERLY OF THE COMMONWEALTH OF PENNSYLVANIA (SCI-ROCKVIEW), 13 RECORD BOOK 142, PAGE 39, DESCRIBED AS FOLLOWS: BEGINNING AT A 3/4 INCH RE-BAR, IN THE NORTHEAST CORNER OF LOT 14 15 3; 16 THENCE ALONG THE WESTERN SIDE OF A VARIABLE WIDTH RIGHT-OF-WAY 17 OF THE BENNER PIKE (SR0150) THE FOLLOWING (3) COURSES; 18 1. S 15 DEGREES, 07 MINUTES, 54 SECONDS E, 400.76 19 FEET TO A 3/4 INCH RE-BAR, A POINT OF 20 CURVATURE, THENCE; 21 2. TANGENT TO THE PREVIOUS COURSE, BY THE ARC OF A 22 CURVE TO THE RIGHT, HAVING A RADIUS OF 23 6815.55 FEET, A CENTRAL ANGLE OF 7 DEGREES, 19 24 MINUTES, 34 SECONDS, A CHORD BEARING 25 AND DISTANCE OF S 11 DEGREES, 28 MINUTES, 26 07 SECONDS E, 870.88 FEET, AND AN ARC LENGTH 27 OF 871.47 FEET, TO A 3/4 INCH RE-BAR, THENCE; 28 3. NOT TANGENT TO THE PREVIOUS COURSE, S 32 29 DEGREES, 39 MINUTES, 16 SECONDS W, 78.44 FEET, TO A 3/4 INCH RE-BAR; 30

20070S0740B2488

- 69 -

THENCE ALONG THE NORTHERN SIDE OF THE 33 FOOT RIGHT-OF-WAY OF 1 PARADISE ROAD (SR3004) THE FOLLOWING (3) COURSES; 2 3 1. N 73 DEGREES, 17 MINUTES, 38 SECONDS W, 296.22 4 FEET, TO A 3/4 INCH RE-BAR, A POINT OF CURVATURE, 5 THENCE; 2. TANGENT TO THE PREVIOUS COURSE, BY THE ARC OF A 6 7 CURVE RIGHT, HAVING A RADIUS OF 583.50 FEET, A CENTRAL ANGLE OF 53 DEGREES, 49 MINUTES, 24 SECONDS, 8 9 A CHORD BEARING AND DISTANCE OF N 46 DEGREES, 10 22 MINUTES, 56 SECONDS W, 528.20 FEET, AND AN ARC LENGTH OF 548.14 FEET, TO A 3/4 INCH RE-BAR 11 12 A POINT OF TANGENCY, THENCE; 13 3. N 19 DEGREES, 28 MINUTES, 14 SECONDS W, 343.99 14 FEET, TO A 3/4 INCH RE-BAR; 15 THENCE ALONG THE SOUTHERN SIDE OF LANDS NOW OR FORMERLY SPRING-16 BENNER-WALKER JOINT AUTHORITY, DEED BOOK 427, PAGE 540, AND ALSO 17 ALONG THE SOUTHERN SIDE OF LANDS NOW OR FORMERLY OF HARRY K. 18 SICKLER, RECORD BOOK 947, PAGE 879, N 54 DEGREES, 25 MINUTES, 12 19 SECONDS E, 439.49 FEET TO A 3/4 INCH RE-BAR, THE POINT OF 20 BEGINNING. 21 CONTAINING 14.67 ACRES OF LAND MORE OR LESS. 22 UNDER AND SUBJECT TO A REQUIRED DRAINAGE EASEMENT PER SR6026 23 SECTION C03 PLANS, AS THE SOUTHEAST CORNER OF THE PROPERTY, AS 24 SHOWN ON THE ABOVE MENTIONED PLAN. 25 UNDER AND SUBJECT TO AN 8.5 FOOT WIDE RESERVED RIGHT-OF-WAY FOR FUTURE DEDICATION, ALONG PARADISE ROAD AND PARALLEL WITH THE 26 27 BOUNDARY OF LOT 3, AS SHOWN ON THE ABOVE MENTIONED PLAN. 28 (C) EASEMENTS. -- THE CONVEYANCE SHALL BE MADE UNDER AND 29 SUBJECT TO ALL LAWFUL AND ENFORCEABLE EASEMENTS, SERVITUDES AND 30 RIGHTS OF OTHERS, INCLUDING, BUT NOT LIMITED TO, STREETS, - 70 -20070S0740B2488

ROADWAYS AND RIGHTS OF ANY TELEPHONE, TELEGRAPH, WATER,
 ELECTRIC, GAS OR PIPELINE COMPANIES, AS WELL AS UNDER AND
 SUBJECT TO ANY LAWFUL AND ENFORCEABLE ESTATES OR TENANCIES
 VESTED IN THIRD PERSONS APPEARING OF RECORD, FOR ANY PORTION OF
 THE LAND OR IMPROVEMENTS ERECTED THEREON.

6 (D) EXECUTION.--THE DEED OF CONVEYANCE SHALL BE BY SPECIAL
7 WARRANTY DEED AND SHALL BE EXECUTED BY THE SECRETARY OF GENERAL
8 SERVICES IN THE NAME OF THE COMMONWEALTH OF PENNSYLVANIA.

9 (E) RESERVATION AND GRANT OF EASEMENTS.--TO EFFECTUATE THIS 10 ACT, THE DEPARTMENT OF GENERAL SERVICES IS HEREBY AUTHORIZED, ON 11 BEHALF OF THE COMMONWEALTH OF PENNSYLVANIA, TO RESERVE OR GRANT 12 ANY SUCH EASEMENTS ON THE PROPERTY KNOWN AS THE STATE 13 CORRECTIONAL INSTITUTION AT ROCKVIEW AS THE SECRETARY OF THE 14 DEPARTMENT OF GENERAL SERVICES SHALL DETERMINE ARE APPROPRIATE 15 OR DESIRABLE, INCLUDING, WITHOUT LIMITATION, FOR ACCESS AND 16 UTILITY SERVICE.

(F) COSTS AND FEES.--ALL COSTS AND FEES INCURRED BY THE
DEPARTMENT OF GENERAL SERVICES IN SELLING THE PROPERTY DESCRIBED
IN SECTIONS 6 AND 7 SHALL BE DEDUCTED FROM THE PURCHASE PRICE
AND TRANSFERRED TO THE APPROPRIATION FROM WHICH THE COSTS AND
FEES WERE PAID BY THE DEPARTMENT OF GENERAL SERVICES. THE
BALANCE OF THE PROCEEDS OF THE SALE SHALL BE DEPOSITED IN THE
GENERAL FUND.

24 SECTION 8. RELEASE OF RESTRICTIONS IN LACKAWANNA COUNTY.

(A) AUTHORIZATION.--PURSUANT TO THE REQUIREMENTS OF SECTION
20(B) OF THE ACT OF JUNE 22, 1964 (SP.SESS., P.L.131, NO.8),
27 KNOWN AS THE PROJECT 70 LAND ACQUISITION AND BORROWING ACT, THE
28 GENERAL ASSEMBLY HEREBY AUTHORIZES THE RELEASE OF PROJECT 70
29 RESTRICTIONS AND TRANSFER OF THE LANDS OWNED BY THE BOROUGH OF
30 OLD FORGE WHICH ARE MORE PARTICULARLY DESCRIBED IN SUBSECTION
20070S0740B2488 - 71 -

(C) AND THE SALE OF SAID LANDS IN ACCORDANCE WITH THE PROJECT 70
 LAND ACQUISITION AND BORROWING ACT FOR A CONSIDERATION OF NOT
 LESS THAN \$5,000, WHICH SUM REPRESENTS A MINIMUM FAIR MARKET
 VALUE OF THE PROPERTY AS DETERMINED BY AN APPRAISAL.

5 (B) FREEDOM OF RESTRICTIONS.--THE LANDS DESCRIBED IN
6 SUBSECTION (C) SHALL BE FREE OF RESTRICTIONS ON USE AND
7 ALIENATION IMPOSED BY THE PROJECT 70 LAND ACQUISITION AND
8 BORROWING ACT UPON CONVEYANCE OF SAID LANDS BY THE BOROUGH OF
9 OLD FORGE.

10 (C) LANDS TO BE RELEASED FROM RESTRICTIONS.--THE PARCEL OF 11 LAND TO BE RELEASED FROM PROJECT 70 RESTRICTIONS IS SITUATED IN 12 THE BOROUGH OF OLD FORGE, LACKAWANNA COUNTY, AND IS MORE 13 PARTICULARLY DESCRIBED AS FOLLOWS:

14 ALL THAT CERTAIN PIECE OR PARCEL OF LAND BEING: IN THE 15 BOROUGH OF OLD FORGE, COUNTY OF LACKAWANNA AND COMMONWEALTH OF 16 PENNSYLVANIA BOUNDED AND DESCRIBED AS FOLLOWS TO WIT:

17 BEGINNING AT A POINT ON THE WESTERLY SIDE OF LAWRENCE STREET, 18 SAID POINT BEING EIGHTY AND SIXTEEN ONE-HUNDREDTHS (80.16) FEET 19 IN A SOUTHEASTERLY DIRECTION, ALONG THE WESTERLY SIDE OF 20 LAWRENCE STREET FROM THE INTERSECTION OF THE WESTERLY SIDE OF 21 LAWRENCE STREET AND THE SOUTHERLY LINE OF CENTRE STREET, SAID 22 POINT BEING ALSO THE NORTHEASTERLY CORNER OF LOT 6, BLOCK NO. 23 12; THENCE IN A SOUTHEASTERLY DIRECTION ALONG THE WESTERLY SIDE 24 OF LAWRENCE STREET TWO HUNDRED-FORTY AND FORTY-SEVEN ONE-25 HUNDREDTHS (240.47) FEET, THE SOUTHWESTERLY CORNER OF LOT 16, 26 BLOCK 12; THENCE IN A SOUTHWESTERLY DIRECTION ALONG THE DIVIDING 27 LINE BETWEEN LOT 16 AND LOT 18, LOT 18 CONVEYED TO MRS. DICK, 28 FOR A DISTANCE OF ONE HUNDRED SEVENTY-THREE AND ONE-TENTH 29 (173.10) FEET TO A 28 FOOT WIDE ALLEY; THENCE IN A NORTHWESTERLY 30 DIRECTION ALONG SAID ALLEY TWO HUNDRED FORTY (240) FEET TO THE 20070S0740B2488 - 72 -

NORTHWESTERLY CORNER OF LOT 6; THENCE AT RIGHT ANGLES IN A 1 NORTHEASTERLY DIRECTION ALONG THE DIVIDING LINE BETWEEN LOT 4 2 3 AND LOT 6 ONE HUNDRED FIFTY-EIGHT AND ONE-TENTH (158.10) FEET TO 4 THE PLACE OF BEGINNING. CONTAINING 39,744 SQUARE FEET, MORE OR 5 LESS, AND BEING LOTS 6, 8, 10, 12, 14 AND 16, BLOCK NO. 12 OF THE LAWRENCEVILLE SECTION OF OLD FORGE, AS SHOWN ON MAP OF THAT 6 7 PORTION OF THE WILLIAM CONNELLS LAWRENCE PROPERTY LOCATED IN OLD FORGE, LACKAWANNA COUNTY, PA RECORDED IN THE OFFICE OF THE 8 9 RECORDER OF DEEDS IN AND FOR LACKAWANNA COUNTY JANUARY 6, 1901, 10 IN MAP BOOK 1 PAGE 101.

11 BEING PARCEL 3 OF THE LANDS CONVEYED TO THE BOROUGH OF OLD 12 FORGE BY PITREAL CORPORATION BY DEED DATED APRIL 15, 1968, WHICH 13 DEED IS RECORDED IN THE LACKAWANNA COUNTY RECORDER OF DEEDS 14 OFFICE IN RECORD BOOK NO. 667 AT PAGE NO. 523 ET SEQ.

(D) USE OF PROCEEDS.--THE CONSIDERATION RECEIVED BY THE
BOROUGH OF OLD FORGE FROM THE SALE OF LAND SHALL BE DEPOSITED IN
A SPECIAL ACCOUNT ESTABLISHED BY THE BOROUGH OF OLD FORGE FOR
THE MAINTENANCE, IMPROVEMENT AND DEVELOPMENT OF PAGNOTTI PARK.
SECTION 9. LAND CONSISTING OF 16.89 ACRES IN THE CITY OF

20

PHILADELPHIA.

21 (A) LEGISLATIVE INTENT. -- THE GENERAL ASSEMBLY FINDS AND22 DECLARES AS FOLLOWS:

23 (1) THE COMMONWEALTH IN THE ACT OF FEBRUARY 10, 1863 24 (P.L.24, NO.28), ENTITLED "AN ACT CEDING TO THE UNITED STATES 25 OF AMERICA THE RIGHT OF EXCLUSIVE LEGISLATION OVER LEAGUE 26 ISLAND, IN THE DELAWARE RIVER, IN THE COUNTY OF 27 PHILADELPHIA, " CONSENTED TO THE PURCHASE AND ACQUISITION OF 28 THE TITLE BY THE UNITED STATES OF THE CERTAIN ISLAND LOCATED 29 IN THE DELAWARE RIVER, SITUATED IN THE 39TH WARD IN THE CITY 30 OF PHILADELPHIA, PHILADELPHIA COUNTY, KNOWN AS "LEAGUE 20070S0740B2488 - 73 -

ISLAND," AND GRANTED LEGISLATIVE AND JURISDICTION OVER ALL OF
 THE INLAND CHANNEL OR WATERWAY, UNTO THE LOW WATER MARK ON
 THE NORTHERLY SHORE THEREOF.

4 (2) THE UNITED STATES, THROUGH THE DEPARTMENT OF THE
5 NAVY AND BY QUIT CLAIM DEED, DISPOSED OF ITS INTEREST AND
6 TITLE TO THE PROPERTY KNOWN AS THE FORMER UNITED STATES NAVY
7 BASE SITUATED IN THE 39TH WARD IN THE CITY OF PHILADELPHIA,
8 PHILADELPHIA COUNTY TO THE PHILADELPHIA INDUSTRIAL
9 DEVELOPMENT CORPORATION, AND A PORTION OF THAT PROPERTY IS
10 KNOWN AS "LEAGUE ISLAND."

11 (3) IN 2004 THE COMMONWEALTH, THROUGH THE DEPARTMENT OF
12 GENERAL SERVICES BY QUIT CLAIM DEED, DISPOSED OF ITS
13 INTERESTS AND TITLE TO THE PROPERTY COMMONLY KNOWN AS PARCEL
14 9A AND A PORTION OF THE FORMER NAVAL BASE TO THE PHILADELPHIA
15 REGIONAL PORT AUTHORITY.

(4) PART OF THE CONVEYANCE OF THE DEPARTMENT OF THE 16 17 NAVY'S TITLE AND INTERESTS TO THE PROPERTY KNOWN AS THE 18 FORMER UNITED STATES NAVY BASE SITUATED IN THE 39TH WARD IN 19 THE CITY OF PHILADELPHIA, PHILADELPHIA COUNTY TO THE 20 PENNSYLVANIA AUTHORITY FOR INDUSTRIAL DEVELOPMENT WAS FOR THE 21 OPEN WATER BETWEEN WHAT WAS THE CONSOLIDATED RAIL CORPORATION 22 PORTION OF THE NAVAL BASE AND WHAT WAS KNOWN AS "LEAGUE 23 TSLAND. "

(5) THE COMMONWEALTH STILL MAINTAINS ITS TITLE AND
INTERESTS IN PROPERTY AREAS OF THIS OPEN WATER, BETWEEN WHAT
WAS THE CONSOLIDATED RAIL CORPORATION PORTION OF THE NAVAL
BASE AND WHAT WAS KNOWN AS "LEAGUE ISLAND."

28 (6) THE GENERAL ASSEMBLY INTENDS TO CONVEY THE RIGHTS
29 AND INTERESTS TO THE PHILADELPHIA REGIONAL PORT AUTHORITY FOR
30 THE PROPERTY AREAS OF THIS OPEN WATER BETWEEN WHAT WAS THE
20070S0740B2488 - 74 -

CONSOLIDATED RAIL CORPORATION PORTION OF THE NAVAL BASE AND
 WHAT WAS KNOWN AS "LEAGUE ISLAND."

3 (B) AUTHORIZATION.--THE DEPARTMENT OF GENERAL SERVICES, WITH
4 THE APPROVAL OF THE GOVERNOR, IS HEREBY AUTHORIZED AND DIRECTED
5 ON BEHALF OF THE COMMONWEALTH OF PENNSYLVANIA TO GRANT AND
6 CONVEY TO THE PHILADELPHIA REGIONAL PORT AUTHORITY, FOR \$1,
7 CERTAIN LANDS SITUATE IN THE 39TH WARD OF THE CITY OF
8 PHILADELPHIA DESCRIBED IN SUBSECTION (C).

9 (C) DESCRIPTION.--THE LANDS TO BE CONVEYED PURSUANT TO 10 SUBSECTION (B) CONSIST OF 16.89 ACRES MORE OR PARTICULARLY 11 DESCRIBED AS FOLLOWS:

12 ALL THAT CERTAIN TRACT, PIECE OR PARCEL OF LAND SITUATE IN THE 13 39TH WARD OF THE CITY OF PHILADELPHIA, COMMONWEALTH OF

14 PENNSYLVANIA, DESCRIBED AS FOLLOWS TO WIT:

15 PARCEL NO. 1

16 BEGINNING AT A POINT ON THE BULKHEAD LINE OF THE DELAWARE RIVER, 17 APPROVED BY THE SECRETARY OF WAR, SEPTEMBER 10, 1940, SAID POINT 18 BEING LOCATED THE TWO (2) FOLLOWING COURSES AND DISTANCES FROM 19 THE INTERSECTION OF THE SOUTHERLY SIDE OF PACKER AVENUE (148 20 FEET WIDE) AND THE SAID EASTERLY SIDE OF CHRISTOPHER COLUMBUS 21 BOULEVARD (250 FEET WIDE); (1) THENCE EXTENDING S 14 DEGREES 30 22 MINUTES 00.0 SECONDS W ALONG THE EASTERLY SIDE OF CHRISTOPHER 23 COLUMBUS BOULEVARD (FORMERLY DELAWARE AVENUE), THE DISTANCE OF 24 3,601.940 FEET TO A POINT; (2) THENCE EXTENDING S 75 DEGREES 30 25 MINUTES 00.0 SECONDS E ALONG A LINE THE DISTANCE OF 580.759 FEET 26 TO SAID POINT OF BEGINNING.

27 (1) THENCE EXTENDING FROM SAID POINT OF BEGINNING S 75
28 DEGREES 30 MINUTES 00.0 SECONDS E THE DISTANCE OF 438.331
29 FEET TO A POINT ON THE PIERHEAD LINE OF THE DELAWARE
30 RIVER APPROVED BY THE SECRETARY OF WAR, SEPTEMBER 10,
20070S0740B2488 - 75 -

- 1 1940;
- 2 (2) THENCE CONTINUING ALONG SAID LINE S 75 DEGREES 30
  3 MINUTES 00.0 SECONDS E THE DISTANCE OF 100.000 FEET TO A
  4 POINT;
- 5 (3) THENCE EXTENDING ALONG A LINE S 29 DEGREES 01 MINUTE 18
  6 SECONDS W THE DISTANCE OF 567.735 FEET TO A POINT;
- 7 (4) THENCE EXTENDING ALONG A LINE N 75 DEGREES 58 MINUTES
  8 58.9 SECONDS W THE DISTANCE OF 100.000 FEET TO A POINT ON
  9 THE PIERHEAD LINE OF THE DELAWARE RIVER APPROVED BY THE
  10 SECRETARY OF WAR, SEPTEMBER 10, 1940;
- 11 (5) THENCE CONTINUING ALONG SAID LINE N 75 DEGREES 58
  12 MINUTES 58.9 00.0 SECONDS W THE DISTANCE OF 565.227 FEET
  13 TO A POINT ON THE BULKHEAD LINE OF THE DELAWARE RIVER,
  14 APPROVED BY THE SECRETARY OF WAR, SEPTEMBER 10, 1940;
  15 (6) THENCE EXTENDING ALONG SAID BULKHEAD LINE OF THE
  16 DELAWARE RIVER, APPROVED BY THE SECRETARY OF WAR,
- 17 SEPTEMBER 10, 1940 N 40 DEGREES 23 MINUTES 05 SECONDS E

18 THE DISTANCE OF 617.039 FEET TO THE POINT OF BEGINNING.
19 CONTAINING WITHIN SAID METES AND BOUNDS, 7.62 ACRES OF LAND
20 BEING THE SAME, MORE OR LESS.

21 PARCEL NO. 2

22 BEGINNING AT A POINT ON THE BULKHEAD LINE OF THE DELAWARE RIVER, 23 APPROVED BY THE SECRETARY OF WAR, SEPTEMBER 10, 1940, SAID POINT 24 BEING LOCATED THE THREE (3) FOLLOWING COURSES AND DISTANCES FROM 25 THE INTERSECTION OF THE SOUTHERLY SIDE OF PACKER AVENUE (148 26 FEET WIDE) AND THE SAID EASTERLY SIDE OF CHRISTOPHER COLUMBUS 27 BOULEVARD 250 FEET WIDE; (1) THENCE EXTENDING S 14 DEGREES 30 28 MINUTES 00.0 SECONDS W ALONG THE EASTERLY SIDE OF CHRISTOPHER 29 COLUMBUS BOULEVARD (FORMERLY DELAWARE AVENUE), THE DISTANCE OF 30 3,601.940 FEET TO A POINT; (2) THENCE EXTENDING S 75 DEGREES 30 - 76 -20070S0740B2488

MINUTES 00.0 SECONDS E ALONG A LINE THE DISTANCE OF 580.759 FEET
TO A POINT ON THE BULKHEAD LINE OF THE DELAWARE RIVER, APPROVED
BY THE SECRETARY OF WAR, SEPTEMBER 10, 1940; (3) THENCE
EXTENDING ALONG SAID BULKHEAD LINE OF THE DELAWARE RIVER,
APPROVED BY THE SECRETARY OF WAR, SEPTEMBER 10, 1940 S 40
DEGREES 23 MINUTES 05 SECONDS W THE DISTANCE OF 617.039 FEET TO
THE SAID POINT OF BEGINNING;

8 (1) THENCE EXTENDING FROM SAID POINT OF BEGINNING ALONG A 9 LINE S 75 DEGREES 58 MINUTES 58.9 SECONDS E THE DISTANCE 10 OF 565.227 FEET TO A POINT ON THE PIERHEAD LINE OF THE 11 DELAWARE RIVER APPROVED BY THE SECRETARY OF WAR,

12 SEPTEMBER 10, 1940;

- 13 (2) THENCE, CONTINUING ALONG SAID LINE S 75 DEGREES 58
  14 MINUTES 58.9 SECONDS E THE DISTANCE OF 100.000 FEET TO A
  15 POINT;
- 16 (3) THENCE EXTENDING ALONG A LINE S 28 DEGREES 57 MINUTES 13
   17 SECONDS W THE DISTANCE OF 573.207 FEET TO A POINT;
- 18 (4) THENCE EXTENDING ALONG A LINE N 76 DEGREES 03 MINUTES 40
  19 SECONDS W THE DISTANCE OF 100.000 FEET TO A POINT ON THE
  20 PIERHEAD LINE OF THE DELAWARE RIVER APPROVED BY THE
  21 SECRETARY OF WAR, SEPTEMBER 10, 1940;

(5) THENCE CONTINUING ALONG SAID LINE N 76 DEGREES 03
MINUTES 40 SECONDS W THE DISTANCE OF 691.822 FEET TO A
POINT ON THE BULKHEAD LINE OF THE DELAWARE RIVER,
APPROVED BY THE SECRETARY OF WAR, SEPTEMBER 10, 1940;
(6) THENCE EXTENDING ALONG SAID BULKHEAD LINE OF THE
DELAWARE RIVER, APPROVED BY THE SECRETARY OF WAR,
SEPTEMBER 10, 1940 N 40 DEGREES 23 MINUTES 05 SECONDS E

29THE DISTANCE OF 618.514 FEET TO THE POINT OF BEGINNING.30CONTAINING WITHIN SAID METES AND BOUNDS, 9.27 ACRES OF LAND20070S0740B2488- 77 -

1 BEING THE SAME, MORE OR LESS.

(D) EASEMENTS. -- THE CONVEYANCE SHALL BE MADE UNDER AND 2 3 SUBJECT TO ALL LAWFUL AND ENFORCEABLE EASEMENTS, SERVITUDES AND 4 RIGHTS OF OTHERS, INCLUDING BUT NOT CONFINED TO STREETS, 5 ROADWAYS AND RIGHTS OF ANY TELEPHONE, TELEGRAPH, WATER, ELECTRIC, GAS OR PIPELINE COMPANIES, AS WELL AS UNDER AND 6 7 SUBJECT TO ANY LAWFUL AND ENFORCEABLE ESTATES OR TENANCIES 8 VESTED IN THIRD PERSONS APPEARING OF RECORD, FOR ANY PORTION OF 9 THE LAND OR IMPROVEMENTS ERECTED THEREON.

10 (E) DEED.--

11 (1) THE DEED OF CONVEYANCE SHALL CONTAIN A CLAUSE THAT 12 THE LANDS CONVEYED IN THIS SECTION SHALL BE USED ONLY FOR 13 MARITIME PURPOSES BY THE GRANTEE, OR ITS SUCCESSOR IN 14 INTEREST OR ITS LESSEES, CONCESSIONAIRES, LICENSEES OR 15 ASSIGNEES PERMITTED BY THE COMMONWEALTH. SHOULD THE GRANTEE, 16 OR ITS SUCCESSORS IN INTEREST, ALLOW THE LANDS CONVEYED TO BE 17 USED FOR ANY OTHER PURPOSE OR ATTEMPT TO CONVEY OR TRANSFER 18 THE LANDS, THE TITLE SHALL IMMEDIATELY REVERT TO AND REVEST 19 IN THE GRANTOR. THE TERM "MARITIME PURPOSES" SHALL MEAN 20 ACTIVITIES RELATED TO THE HANDLING, IMPORT, EXPORT AND OR 21 TRANSPORT OF CARGO OR THE TRANSPORT OF PASSENGERS WITHIN AND 22 THROUGH THE PORT OF PHILADELPHIA BUT THE TERM SHALL NOT MEAN 23 ACTIVITIES RELATED TO GAMBLING OR GAMING.

(2) THE DEED OF CONVEYANCE SHALL CONTAIN A CLAUSE THAT
IF THE PHILADELPHIA REGIONAL PORT AUTHORITY OR ITS SUCCESSORS
IN INTEREST CEASES TO EXIST, THE LANDS CONVEYED IN THIS
SECTION SHALL IMMEDIATELY REVERT TO AND REVEST IN THE
GRANTOR, UNLESS A SUCCESSOR AUTHORITY HAS BEEN FORMED TO
CONTINUE THE COMMONWEALTH'S GOVERNANCE OF REGIONAL PORT
ACTIVITIES ALONG THE DELAWARE RIVER.

20070S0740B2488

- 78 -

(F) DEED EXECUTION.--THE DEED OF CONVEYANCE AUTHORIZED BY
 THIS SECTION SHALL BE APPROVED AS PROVIDED BY LAW AND SHALL BE
 EXECUTED BY THE SECRETARY OF GENERAL SERVICES IN THE NAME OF THE
 COMMONWEALTH OF PENNSYLVANIA.

G) COSTS AND FEES.--COSTS AND FEES INCIDENTAL TO THIS
CONVEYANCE SHALL BE BORNE BY THE GRANTEE.

7 SECTION 10. LAND CONSISTING OF 305 ACRES IN THE CITY OF
8 PHILADELPHIA.

9 (A) AUTHORIZATION.--THE DEPARTMENT OF GENERAL SERVICES, WITH 10 THE APPROVAL OF THE GOVERNOR, IS HEREBY AUTHORIZED AND DIRECTED 11 ON BEHALF OF THE COMMONWEALTH OF PENNSYLVANIA TO GRANT AND 12 CONVEY TO THE PHILADELPHIA REGIONAL PORT AUTHORITY, FOR \$1, 13 CERTAIN LANDS SITUATE IN THE 39TH WARD OF THE CITY OF 14 PHILADELPHIA DESCRIBED IN SUBSECTION (B).

15 (B) DESCRIPTION.--THE LANDS TO BE CONVEYED PURSUANT TO 16 SUBSECTION (A) CONSIST OF 305 ACRES MORE PARTICULARLY DESCRIBED 17 AS FOLLOWS:

18 ALL THAT CERTAIN LAND LOCATED IN THE CITY OF PHILADELPHIA, 19 COMMONWEALTH OF PENNSYLVANIA, THAT IS RIVER-BED THAT WAS MADE 20 FAST LAND BY HAVING FILL PLACED UPON IT, A GENERAL DESCRIPTION 21 BASED UPON PAPER SURVEY AS FOLLOWS TO WIT:

22 BEGINNING AT A POINT NEAR THE BULKHEAD LINE OF THE DELAWARE 23 RIVER, AS ESTABLISHED BY THE SECRETARY OF WAR, SEPTEMBER 10, 24 1940, A COMMON CORNER FOR LANDS NOW OR FORMERLY OF CONSOLIDATED 25 RAIL CORPORATION, AND PARCEL 9, THE SAID POINT BEING MEASURED 26 THE NINE (9) FOLLOWING COURSES AND DISTANCES FROM THE 27 INTERSECTION OF THE EASTERLY SIDE OF BROAD STREET (AT 300 FEET 28 WIDE) WITH THE SOUTHWESTERLY SIDE OF PATTISON AVENUE (AT 120 29 FEET WIDE):

30 1. SOUTHWESTERLY ALONG THE EASTERLY SIDE OF BROAD STREET, 20070S0740B2488 - 79 - 1 2,527.57 FEET TO A POINT;

SOUTHEASTERLY AT RIGHT ANGLES TO SAID BROAD STREET, 37 2 2. 3 FEET TO A DRILL HOLE SET, A CORNER FOR THE SAID LANDS 4 NOW OR FORMERLY OF CONSOLIDATED RAIL CORPORATION; 5 (COURSES 3 THROUGH 8 ALONG THE SOUTHERLY SIDE OF LANDS 6 NOW OR FORMERLY OF CONSOLIDATED RAIL CORPORATION); 7 3. SOUTH 75 DEGREES 30 MINUTES 00 SECONDS EAST, 3.00 FEET 8 TO A DRILL HOLE SET; 9 SOUTH 76 DEGREES 31 MINUTES 21 SECONDS EAST 229.54 FEET 4. 10 TO AN IRON PIN SET; 11 5. SOUTH 68 DEGREES 33 MINUTES 21 SECONDS EAST, 284.65 FEET TO AN IRON PIN SET; 12 13 6. SOUTH 63 DEGREES 50 MINUTES 26 SECONDS EAST, 341 FEET TO 14 AN IRON PIN SET; 15 7. SOUTHEASTERLY BY A CURVE TO THE LEFT HAVING A RADIUS OF 16 2,287.44 FEET, AND AN ARC LENGTH OF 730.03 FEET TO AN 17 IRON PIN SET, SAID POINT BEING DISTANT BY A CHORD OF 18 SOUTH 72 DEGREES 59 MINUTES 00 SECONDS EAST 726.93 FEET 19 FROM THE LAST DESCRIBED POINT; 20 8. SOUTH 82 DEGREES 07 MINUTES 34 SECONDS EAST 1,741.91 21 FEET TO A POINT; AND 22 9. SOUTH 76 DEGREES 03 MINUTES 40 SECONDS EAST, 6093.91 23 FEET TO THE SAID POINT OF BEGINNING; 24 THENCE FROM SAID POINT OF BEGINNING, THE TWENTY FIVE (25) 25 FOLLOWING DESCRIBED COURSES AND DISTANCES: 26 1. SOUTH 76 DEGREES 3 MINUTES 40 SECONDS EAST, 50 FEET TO

27 THE POINT AND PLACE OF BEGINNING;

28 2. SOUTH 40 DEGREES 23 MINUTES 05 SECONDS WEST, 1,627.95

29 FEET ALONG THE BULKHEAD LINE OF THE DELAWARE RIVER;

30 3. SOUTH 58 DEGREES 07 MINUTES 17 SECONDS WEST, 1,737.34

20070S0740B2488

- 80 -

FEET ALONG THE BULKHEAD LINE OF THE DELAWARE RIVER; 1 2 4. SOUTH 78 DEGREES 26 MINUTES 04 SECONDS WEST, 1,099.52 3 FEET ALONG THE BULKHEAD LINE OF THE DELAWARE RIVER; 4 5. SOUTH 78 DEGREES 27 MINUTES 42 SECONDS WEST, 2,645 5 FEET ALONG THE BULKHEAD LINE OF THE DELAWARE RIVER; 6 NORTH 86 DEGREES 01 MINUTES 55 SECONDS WEST, 300 FEET 6. 7 ALONG THE BULKHEAD LINE OF THE DELAWARE RIVER; 8 7. NORTH 10 DEGREES 18 MINUTES 40 SECONDS WEST, 960 FEET 9 TO THE BULKHEAD LINE OF THE DELAWARE RIVER; 10 8. NORTH 72 DEGREES 11 MINUTES 20 SECONDS EAST, 1,650 FEET; 11 9. NORTH 12 DEGREES 11 MINUTES 20 SECONDS EAST, 150 FEET, NORTH 48 DEGREES 41 MINUTES 20 SECONDS EAST, 1,005 FEET; 12 10. 13 11. NORTH 81 DEGREES 33 MINUTES 40 SECONDS WEST, 1,580 FEET; 14 12. NORTH 76 DEGREES 33 MINUTES 40 SECONDS WEST, 1,040 FEET; 15 13. NORTH 72 DEGREES 33 MINUTES 40 SECONDS WEST, 2,375 FEET; 16 14. NORTH 89 DEGREES 18 MINUTES 40 SECONDS WEST, 500 FEET; NORTH 83 DEGREES 48 MINUTES 40 SECONDS WEST, 475 FEET; 17 15. 18 16. NORTH 13 DEGREES 11 MINUTES 20 SECONDS EAST, 550 FEET; 19 17. NORTH 87 DEGREES 41 MINUTES 20 SECONDS EAST, 420 FEET 20 18. SOUTH 65 DEGREES 18 MINUTES 40 SECONDS EAST, 2,170 FEET; 21 19. SOUTH 66 DEGREES 48 MINUTES 40 SECONDS EAST, 2,120 FEET; 22 20. SOUTH 82 DEGREES 18 MINUTES 40 SECONDS EAST, 910 FEET; 23 SOUTH 75 DEGREES 03 MINUTES 40 SECONDS EAST, 920 FEET; 21. 24 22. SOUTH 84 DEGREES 33 MINUTES 40 SECONDS EAST, 1,470 FEET; 25 23. SOUTH 66 DEGREES 33 MINUTES 40 SECONDS EAST, 340 FEET; 26 24. NORTH 73 DEGREES 56 MINUTES 20 SECONDS EAST, 470 FEET; 27 25. NORTH 60 DEGREES 56 MINUTES 20 SECONDS EAST, 1,240 FEET; 28 CONTAINING 305 ACRES OF LAND.

29 (C) EASEMENTS.--THE CONVEYANCE SHALL BE MADE UNDER AND 30 SUBJECT TO ALL LAWFUL AND ENFORCEABLE EASEMENTS, SERVITUDES AND 20070S0740B2488 - 81 - RIGHTS OF OTHERS, INCLUDING BUT NOT CONFINED TO STREETS,
 ROADWAYS AND RIGHTS OF ANY TELEPHONE, TELEGRAPH, WATER,
 ELECTRIC, GAS OR PIPELINE COMPANIES, AS WELL AS UNDER AND
 SUBJECT TO ANY LAWFUL AND ENFORCEABLE ESTATES OR TENANCIES
 VESTED IN THIRD PERSONS APPEARING OF RECORD, FOR ANY PORTION OF
 THE LAND OR IMPROVEMENTS ERECTED THEREON.

7 (D) DEED.--

8 (1) THE DEED OF CONVEYANCE SHALL CONTAIN A CLAUSE THAT 9 THE LANDS CONVEYED HEREIN SHALL BE USED ONLY FOR MARITIME 10 PURPOSES BY THE GRANTEE, OR ITS SUCCESSOR IN INTEREST. SHOULD 11 THE GRANTEE, OR ITS SUCCESSOR IN INTEREST, ALLOW THE LANDS CONVEYED TO BE USED FOR ANY OTHER PURPOSE OR ATTEMPT TO 12 13 CONVEY OR TRANSFER THE LANDS, THE TITLE SHALL IMMEDIATELY 14 REVERT TO AND REVEST IN THE GRANTOR. THE TERM "MARITIME 15 PURPOSES" SHALL MEAN ACTIVITIES DIRECTLY RELATED TO THE 16 HANDLING OF CARGO FOR IMPORT OR EXPORT OR THE TRANSPORT OF 17 PASSENGERS THROUGH THE PORT OF PHILADELPHIA BUT THE TERM 18 SHALL NOT MEAN ACTIVITIES RELATED TO GAMBLING OR GAMING.

19 (2) THE DEED OF CONVEYANCE SHALL CONTAIN A CLAUSE THAT
20 IF THE PHILADELPHIA REGIONAL PORT AUTHORITY OR ITS SUCCESSOR
21 IN INTEREST CEASE TO EXIST, THE LANDS CONVEYED HEREIN SHALL
22 IMMEDIATELY REVERT TO AND REVEST IN THE GRANTOR, UNLESS A
23 SUCCESSOR AUTHORITY HAS BEEN FORMED TO CONTINUE THE
24 COMMONWEALTH'S GOVERNANCE OF REGIONAL PORT ACTIVITIES ALONG
25 THE DELAWARE RIVER.

(E) LAND USE RESTRICTION. -- ALL DEEDS OR LEASES AUTHORIZED OR
 REFERRED TO UNDER THIS SECTION SHALL BE MADE UNDER AND SUBJECT
 TO THE CONDITION, WHICH SHALL BE CONTAINED IN THE DEED OR LEASE
 DOCUMENTS, THAT NO PORTION OF THE PARCELS SHALL BE USED AS A
 LICENSED FACILITY AS DEFINED IN 4 PA.C.S. § 1103 (RELATING TO
 20070S0740B2488 - 82 -

DEFINITIONS) OR ANY OTHER SIMILAR TYPE OF FACILITY AUTHORIZED
 UNDER THE LAWS OF THIS COMMONWEALTH. THIS CONDITION SHALL BE A
 COVENANT RUNNING WITH THE LAND AND SHALL BE BINDING UPON THE
 DEED OR LEASE OR SUBLESSEES AND THEIR RESPECTIVE SUCCESSORS AND
 ASSIGNS. SHOULD ANY PORTION OF ANY PARCEL AUTHORIZED FOR
 CONVEYANCE UNDER THIS SECTION BE USED IN VIOLATION OF THIS
 SUBSECTION, THE TITLE SHALL IMMEDIATELY REVERT TO AND REVEST IN
 THE GRANTOR.

9 (F) DEED EXECUTION.--THE DEED OF CONVEYANCE AUTHORIZED BY 10 THIS SECTION SHALL BE APPROVED AS PROVIDED BY LAW AND SHALL BE 11 EXECUTED BY THE SECRETARY OF GENERAL SERVICES IN THE NAME OF THE 12 COMMONWEALTH OF PENNSYLVANIA.

13 (G) COSTS AND FEES.--COSTS AND FEES INCIDENTAL TO THIS14 CONVEYANCE SHALL BE BORNE BY THE GRANTEE.

15 SECTION 11. CONVEYANCE IN POTTSVILLE, SCHUYLKILL COUNTY.

16 (A) AUTHORIZATION.--THE DEPARTMENT OF GENERAL SERVICES, WITH 17 THE APPROVAL OF THE GOVERNOR AND THE DEPARTMENT OF MILITARY AND 18 VETERANS' AFFAIRS, IS HEREBY AUTHORIZED AND DIRECTED ON BEHALF 19 OF THE COMMONWEALTH OF PENNSYLVANIA TO GRANT AND CONVEY, TO THE 20 SCHUYLKILL YMCA, CERTAIN LANDS AND BUILDING SITUATE IN THE 21 BOROUGH OF POTTSVILLE, SCHUYLKILL COUNTY FOR \$160,000.

(B) PROPERTY DESCRIPTION.--THE PROPERTY TO BE CONVEYED
PURSUANT TO THIS SECTION CONSISTS OF APPROXIMATELY 0.33-ACRES,
AND AN ARMORY BUILDING BOUNDED, AND MORE PARTICULARLY DESCRIBED
AS FOLLOWS:

26 BEGINNING AT A STAKE IN THE EASTERN BUILDING LINE OF NORTH 27 CENTRE STREET AT THE NORTHWEST CORNER OF LOT NUMBER FOURTEEN 28 (14) IN ACCORDANCE WITH THE PLAN OF R. S. BASHORE'S LOTS DATED 29 FEBRUARY 1907, AND MADE BY A. B. COCHRANE & SON, ENGINEERS; 30 THENCE AT RIGHT ANGLES TO CENTRE STREET EASTWARDLY ALONG THE 20070S0740B2488 – 83 –

DIVIDING LINE BETWEEN LOTS NUMBERS THIRTEEN (13) AND FOURTEEN 1 2 (14) FOR A DISTANCE OF ONE HUNDRED AND THIRTY-FIVE (135) FEET 3 AND ELEVEN AND THREE-QUARTER (11 3/4) INCHES TO THE RIGHT OF WAY 4 OF THE PHILADELPHIA & READING RAILWAY COMPANY; THENCE 5 SOUTHWARDLY ALONG SAID RIGHT OF WAY A DISTANCE OF ONE HUNDRED (100) FEET AND FIVE (5) INCHES TO THE SOUTHEAST CORNER OF LOT 6 7 NUMBER EIGHTEEN (18) AS PER SAID AFOREMENTIONED PLAN; THENCE 8 WESTWARDLY ALONG THE DIVIDING LINE BETWEEN LOTS NUMBERS EIGHTEEN 9 (18) AND NINETEEN (19) TO A STAKE IN THE EASTERN BUILDING LINE 10 OF CENTER STREET A DISTANCE OF ONE HUNDRED AND FORTY-FIVE (145) FEET AND THREE (3) INCHES; THENCE NORTHWARDLY ALONG SAID EASTERN 11 12 BUILDING LINE OF CENTRE STREET ONE HUNDRED (100) FEET TO THE 13 PLACE OF BEGINNING.

14 CONTAINING 0.33 ACRES.

15 BEING THE SAME PROPERTY CONVEYED TO THE COMMONWEALTH OF PENNSYLVANIA BY ROBERT S. BASHORE AND MAY B. BASHORE, HIS WIFE, 16 17 BY DEED DATED MARCH 14, 1912 AND RECORDED IN THE SCHUYLKILL 18 COUNTY RECORDER OF DEEDS OFFICE IN DEED BOOK 359, PAGE 103. 19 (C) CONDITIONS. -- THE CONVEYANCE SHALL BE MADE UNDER AND 20 SUBJECT TO ALL LAWFUL AND ENFORCEABLE EASEMENTS, SERVITUDES AND 21 RIGHTS OF OTHERS, INCLUDING BUT NOT CONFINED TO STREETS, 22 ROADWAYS AND RIGHTS OF ANY TELEPHONE, TELEGRAPH, WATER, 23 ELECTRIC, GAS OR PIPELINE COMPANIES, AS WELL AS UNDER AND 24 SUBJECT TO ANY LAWFUL AND ENFORCEABLE ESTATES OR TENANCIES 25 VESTED IN THIRD PERSONS APPEARING OF RECORD, FOR ANY PORTION OF 26 THE LAND OR IMPROVEMENTS ERECTED THEREON.

(D) RESTRICTION ON USE.--THE CONVEYANCE AUTHORIZED UNDER
THIS SECTION SHALL BE MADE UNDER AND SUBJECT TO THE CONDITION,
WHICH SHALL BE CONTAINED IN THE DEED OF CONVEYANCE, THAT NO
PORTION OF THE PROPERTY CONVEYED SHALL BE USED AS A LICENSED
20070S0740B2488 - 84 -

FACILITY, AS DEFINED IN 4 PA.C.S. § 1103 (RELATING TO 1 2 DEFINITIONS), OR ANY OTHER SIMILAR TYPE OF FACILITY AUTHORIZED 3 UNDER STATE LAW. THE CONDITION SHALL BE A COVENANT RUNNING WITH 4 THE LAND AND SHALL BE BINDING UPON THE GRANTEE, ITS SUCCESSORS 5 AND ASSIGNS. SHOULD THE GRANTEE, ITS SUCCESSORS OR ASSIGNS, PERMIT ANY PORTION OF THE PROPERTY AUTHORIZED TO BE CONVEYED IN 6 THIS SECTION TO BE USED IN VIOLATION OF THIS SUBSECTION, THE 7 8 TITLE SHALL IMMEDIATELY REVERT TO AND REVEST IN THE GRANTOR. 9 (E) DEED.--THE DEED OF CONVEYANCE SHALL BE BY SPECIAL 10 WARRANTY DEED AND SHALL BE EXECUTED BY THE SECRETARY OF GENERAL 11 SERVICES IN THE NAME OF THE COMMONWEALTH OF PENNSYLVANIA. 12 (F) COSTS AND FEES.--COSTS AND FEES INCIDENTAL TO THIS 13 CONVEYANCE SHALL BE BORNE BY THE GRANTEE. 14 (G) DEPOSIT OF PROCEEDS. -- THE PROCEEDS FROM THE SALE SHALL 15 BE DEPOSITED IN THE STATE TREASURY ARMORY FUND. 16 (H) ALTERNATE DISPOSITION.--IN THE EVENT THAT THIS 17 CONVEYANCE IS NOT EXECUTED WITHIN SIX MONTHS OF THE EFFECTIVE 18 DATE OF THIS SECTION, THE PROPERTY MAY BE DISPOSED OF IN 19 ACCORDANCE WITH ARTICLE 2406-A OF THE ACT OF APRIL 9, 1929 20 (P.L.177, NO.175), KNOWN AS THE ADMINISTRATIVE CODE OF 1929. Section 8 12. Effective date. 21

<----

22 This act shall take effect immediately.